

Threatened Birds of Asia:

The BirdLife International Red Data Book

Editors

N. J. COLLAR (Editor-in-chief),
A. V. ANDREEV, S. CHAN, M. J. CROSBY, S. SUBRAMANYA and J. A. TOBIAS

Maps by

RUDYANTO and M. J. CROSBY

Principal compilers and data contributors

■ **BANGLADESH** P. Thompson ■ **BHUTAN** R. Pradhan; C. Inskipp, T. Inskipp ■ **CAMBODIA** Sun Huan; C. M. Poole ■ **CHINA** ■ **MAINLAND CHINA** Zheng Guangmei; Ding Changqing, Gao Wei, Gao Yuren, Li Fulai, Liu Naifa, Ma Zhijun, the late Tan Yaokuang, Wang Qishan, Xu Weishu, Yang Lan, Yu Zhiwei, Zhang Zhengwang. ■ **HONG KONG** Hong Kong Bird Watching Society (BirdLife Affiliate); H. F. Cheung; F. N. Y. Lock, C. K. W. Ma, Y. T. Yu. ■ **TAIWAN** Wild Bird Federation of Taiwan (BirdLife Partner); L. Liu Severinghaus; Chang Chin-lung, Chiang Ming-liang, Fang Woei-horng, Ho Yi-hsian, Hwang Kwang-yin, Lin Wei-yuan, Lin Wen-horn, Lo Hung-ren, Sha Chian-chung, Yau Cheng-teh. ■ **INDIA** Bombay Natural History Society (BirdLife Partner Designate) and Sálím Ali Centre for Ornithology and Natural History; L. Vijayan and V. S. Vijayan; S. Balachandran, R. Bhargava, P. C. Bhattacharjee, S. Bhupathy, A. Chaudhury, P. Gole, S. A. Hussain, R. Kaul, U. Lachungpa, R. Naroji, S. Pandey, A. Pittie, V. Prakash, A. Rahmani, P. Saikia, R. Sankaran, P. Singh, R. Sugathan, Zafar-ul Islam ■ **INDONESIA** BirdLife International Indonesia Country Programme; Ria Saryanthi; D. Agista, S. van Balen, Y. Cahyadin, R. F. A. Grimmett, F. R. Lambert, M. Poulsen, Rudyanto, I. Setiawan, C. Trainor ■ **JAPAN** Wild Bird Society of Japan (BirdLife Partner); Y. Fujimaki; Y. Kanai, H. Morioka, K. Ono, H. Uchida, M. Ueta, N. Yanagisawa ■ **KOREA** ■ **NORTH KOREA** Pak U-il; Chong Jong-ryol, Rim Chuyon. ■ **SOUTH KOREA** Lee Woo-shin; Han Sang-hoon, Kim Jin-han, Lee Ki-sup, Park Jin-young ■ **LAOS** K. Khounbolin; W. J. Duckworth ■ **MALAYSIA** Malaysian Nature Society (BirdLife Partner); K. Kumar; G. Noramly, M. J. Kohler ■ **MONGOLIA** D. Batdelger; A. Bräunlich, N. Tseveenmyadag ■ **MYANMAR** Khin Ma Ma Thwin ■ **NEPAL** Bird Conservation Nepal (BirdLife Affiliate); H. S. Baral; C. Inskipp, T. P. Inskipp ■ **PAKISTAN** Ornithological Society of Pakistan (BirdLife Affiliate) ■ **PHILIPPINES** Haribon Foundation for Conservation of Natural Resources (BirdLife Partner); N. A. D. Mallari, B. R. Tabaranza, Jr. ■ **RUSSIA** Russian Bird Conservation Union (BirdLife Partner Designate); A. V. Andreev; A. G. Degtyarev, V. G. Degtyarev, V. A. Dugintsov, N. N. Gerasimov, Yu. N. Gerasimov, N. I. Germogenov, O. A. Goroshko, A. V. Kondrat'ev, Yu. V. Labutin, N. M. Litvinenko, Yu. N. Nazarov, V. A. Nechaev, V. I. Perfil'ev, R. V. Ryabtsev, Yu. V. Shibaev, S. G. Surmach, E. E. Tkachenko, O. P. Val'chuk, B. A. Voronov. ■ **SINGAPORE** The Nature Society (Singapore) (BirdLife Partner); Lim Kim Seng ■ **SRI LANKA** Field Ornithology Group of Sri Lanka (BirdLife Affiliate); S. Kotagama; S. Aryaprema, S. Corea, J. P. G. Jones, U. Fernando, R. Perera, M. Siriwardhane, K. Weerakoon ■ **THAILAND** Bird Conservation Society of Thailand (BirdLife Partner); U. Treesucon; R. Jugmongkol, V. Kongthong, P. Poonswad, P. D. Round, S. Supparatvirkorn ■ **VIETNAM** BirdLife International Vietnam Country Programme; Nguyen Cu; J. C. Eames, A. W. Tordoff, Le Trong Trai, Nguyen Duc Tu.

With contributions from: S. H. M. Butchart, D. S. Butler (maps), P. Davidson, J. C. Lowen, G. C. L. Dutson, N. B. Peet, T. Vetta (maps), J. M. Villasper (maps), M. G. Wilson

Recommended citation

BirdLife International (2001) *Threatened birds of Asia: the BirdLife International Red Data Book*. Cambridge, UK: BirdLife International.

© 2001 BirdLife International

Wellbrook Court, Girton Road, Cambridge, CB3 0NA, United Kingdom

Tel: +44 1223 277318 Fax: +44 1223 277200 Email: birdlife@birdlife.org.uk

Internet: www.birdlife.net

BirdLife International is a UK-registered charity

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrical, chemical, mechanical, optical, photocopying, recording or otherwise, without prior permission of the publisher.

ISBN 0 946888 42 6 (Part A)

ISBN 0 946888 43 4 (Part B)

ISBN 0 946888 44 2 (Set)

British Library-in-Publication Data

A catalogue record for this book is available from the British Library

First published 2001 by BirdLife International

Designed and produced by the **NatureBureau**, 36 Kingfisher Court, Hambridge Road, Newbury, Berkshire RG14 5SJ, United Kingdom

Available from the Natural History Book Service Ltd, 2–3 Wills Road, Totnes, Devon TQ9 5XN, UK. Tel: +44 1803 865913 Fax: +44 1803 865280 Email nhbs@nhbs.co.uk
Internet: www.nhbs.com/services/birdlife.html

The presentation of material in this book and the geographical designations employed do not imply the expression of any opinion whatsoever on the part of BirdLife International concerning the legal status of any country, territory or area, or concerning the delimitation of its frontiers or boundaries.

MACGREGOR'S BIRD-OF-PARADISE

Macgregoria pulchra

Critical ☐ —

Endangered ☐ —

Vulnerable ■ B1 + 2b,c,d,e; C2a



Although there are no population estimates for this species, it seems likely that its total numbers are small and fragmented across a small area of occupancy and in a slow but ongoing overall decline, hence qualifying it as Vulnerable.

DISTRIBUTION AND POPULATION MacGregor's Bird-of-paradise is distributed in small disjunct populations in the highest mountains of New Guinea, namely the Snow, Oranje and Star mountains of Papua (formerly Irian Jaya), **Indonesia**, and the Wharton and Owen Stanley ranges of **Papua New Guinea**, remaining common and tame above 3,000 m in the Star mountains, where the Ketengban people protect it for cultural reasons (Frith and Beehler 1998), but rare on Mt Albert Edward in the Whartons, with only one record since 1933 (Safford and Smart 1996). There are no population estimates, but most records are of only one to three birds; its occupied range has been estimated at less than 1,000 km² with minimal interchange between the isolated subpopulations (Frith and Beehler 1998).

ECOLOGY It is restricted to subalpine forest, including patches within alpine grassland, dominated by its major food-plant, the podocarp *Dacrycarpus compactus*; its partial nomadism and breeding cycle are tied to the unpredictable fruiting of this tree (Beehler 1981, 1983, 1991a,b, Hicks and Burrows 1992, Frith and Beehler 1998). Birds also forage for other fruits in low bushes and on the ground, and in epiphytes and foliage, presumably for arthropods (Clapp 1986, Safford and Smart 1996, Frith and Beehler 1998). It is most commonly recorded at 3,200–3,500 m, but occasionally within the band 2,700–4,000 m (Frith and Beehler 1998).

THREATS Its absence from great swathes of the Central Highlands suggests historic extinctions from habitat changes and hunting pressures (Barker and Croft 1977, Frith and Beehler 1998). It is a popular gamebird, being tame, conspicuous and site-faithful, and therefore easy to kill (Beehler 1981, Frith and Beehler 1998). The threat from hunting is exacerbated by its nomadism and small fragmented populations; and while much of its range is remote and inaccessible to hunters, new roads such as one in Wamena in Papua are creating new access to its habitats (P. Gregory *in litt.* 1999).

MEASURES TAKEN This species is protected by law in Indonesia and Papua New Guinea.

MEASURES PROPOSED • Survey unvisited mountains within its range. • Estimate range and populations at known sites. • Monitor numbers at most accessible sites. • Research population structure and dispersal between areas. • Investigate population trends through interviews with local hunters. • Research dietary specialism and consequent nomadism. • Investigate hunting levels and attitudes to control amongst hunters. • Create large locally managed forest reserves with an enforced hunting ban. • Run awareness programmes for land-owners. • Enforce existing legislation. • Use it as a flagship species for any high-altitude ecotourism initiatives.