



THE IUCN RED LIST
OF THREATENED SPECIES™



***Eudromias morinellus* (Eurasian Dotterel)**

European Red List of Birds

Supplementary Material

The European Union (EU28) Red List assessments were based principally on the official data reported by EU Member States to the European Commission under Article 12 of the Birds Directive in 2019-20. For the European Red List assessments, similar data were sourced from BirdLife Partners and other collaborating experts in other European countries and territories. For more information, see BirdLife International (2021).

Contents

Reported national population sizes and trends
Trend maps of reported national population data
Sources of reported national population data
Species factsheet bibliography

Recommended citation

BirdLife International (2021) European Red List of Birds. Luxembourg: Publications Office of the European Union.

Further information

<http://datazone.birdlife.org/info/euroredlist>
<http://www.birdlife.org/europe-and-central-asia/european-red-list-birds-0>
<http://www.iucnredlist.org/regions/europe>
<http://ec.europa.eu/environment/nature/conservation/species/redlist/>

Data requests and feedback

To request access to these data in electronic format, provide new information, correct any errors or provide feedback, please email science@birdlife.org.

Eudromias morinellus (Eurasian Dotterel)

Table 1. Reported national breeding population size and trends in Europe¹.

Country (or territory) ²	Population estimate				Short-term population trend ⁵				Long-term population trend ⁵				Subspecific population (where relevant)
	Size (pairs) ³	Europe (%)	Year(s)	Method ⁴	Direction ⁶	Magnitude (%) ⁷	Year(s)	Method ⁴	Direction ⁶	Magnitude (%) ⁷	Year(s)	Method ⁴	
Andorra	0–2	<1	2014-2017	expert	?		2011-2018	deficient	?				
Austria	7–12	<1	2013-2016	complete	0		2007-2018	complete	-	-35 to -20	1981-2018	complete	
Czechia	0	<1	2014-2017	complete	?		2001-2017	complete	-		1986-2016	expert	
Finland	1500–2400	13	2013-2018	partial	-		2000-2018	expert	-		1990-2018	partial	
Italy	1–5	<1	2013-2018	expert	?		2007-2018	deficient	0		1993-2018	expert	
Norway	4000–6800	33	2013-2018	expert	F		2013-2018	partial	0		1980-2018	partial	
Romania	0–1	<1	2013-2018	expert	F	-100 to 0	2007-2018	expert	F	-100 to 0	1980-2018	expert	
Russia	2800–7000	28	2010-2018	partial	?		2008-2018	deficient	-	-20 to -5	1980-2018	expert	
Spain	1–5	<1	2002-2018	partial	0		2007-2018	partial	0		1980-2018	partial	
Sweden	2000–4700	23	2013-2018	partial	?	-27 to 230	2007-2018	partial	?	-50 to 100	1980-2018	expert	
United Kingdom	270–650	3	2011	complete	-		1999-2011	complete	+		1970-2011	complete	
EU28	3700–7800	38											
Europe	10500–21600	100											

¹ See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at <http://bd.eionet.europa.eu/article12/report>.

² The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

³ In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.

⁴ The 'method used' (replacing the data 'quality' assessment in the 2015 European Red List) is reported as: a) Complete: complete survey or a statistically robust estimate; b) Partial: based mainly on extrapolation from a limited amount of data; c) Expert: based mainly on expert opinion with very limited data; d) Deficient: insufficient or no data available.

⁵ The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.

⁶ Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).

⁷ Trend magnitudes are rounded to the nearest integer.

Eudromias morinellus (Eurasian Dotterel)

Table 2. Reported national wintering population sizes and trends in Europe¹. Note that some countries within the species' wintering range did not report any data, and that only minimum totals are presented, to avoid double-counting of birds moving between countries.

Country (or territory) ²	Population estimate				Short-term population trend ⁵				Long-term population trend ⁵				Subspecific population (where relevant)
	Size (individuals) ³	Europe (%)	Year(s)	Method ⁴	Direction ⁶	Magnitude (%) ⁷	Year(s)	Method ⁴	Direction ⁶	Magnitude (%) ⁷	Year(s)	Method ⁴	
Spain	80–90	100	2007-2018	complete	-		2007-2018	expert	-		1980-2018	expert	
EU28	80–90	100											
Europe	80–90	100											

¹ See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at <http://bd.eionet.europa.eu/article12/report>.

² The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

³ In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.

⁴ The 'method used' (replacing the data 'quality' assessment in the 2015 European Red List) is reported as: a) Complete: complete survey or a statistically robust estimate; b) Partial: based mainly on extrapolation from a limited amount of data; c) Expert: based mainly on expert opinion with very limited data; d) Defficient: insufficient or no data available.

⁵ The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.

⁶ Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).

⁷ Trend magnitudes are rounded to the nearest integer.

Trend maps

A symbol appears in each country where the species occurs: the shape and colour of the symbol represent the population trend in that country, and the size of the symbol corresponds to the proportion of the European population occurring in that country.

KEY

- | | |
|---|---------------------------------|
| ↑ Large increase (≥50%) | ↓ Large decrease (≥50%) |
| ↑ Moderate increase (20–49%) | ↓ Moderate decrease (20–49%) |
| ↑ Small increase (<20%) | ↓ Small decrease (<20%) |
| ↑ Increase of unknown magnitude | ↓ Decrease of unknown magnitude |
| ■ Stable or fluctuating | |
| □ Unknown | |
| ○ Present (no population or trend data) | |
| × Extinct since 1980 | |

Each symbol, with the exception of Present and Extinct, may occur in up to three different size classes, corresponding to the proportion of the European population occurring in that country.

- ↑ Large: ≥10% of the European population
- ↑ Medium: 1–9% of the European population
- ↑ Small: <1% of the European population

The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Figure 3. Reported wintering population sizes and short-term trends across Europe. Note that some countries within the species' wintering range did not report any data.





Figure 4. Reported wintering population sizes and long-term trends across Europe. Note that some countries within the species' wintering range did not report any data.



Sources

Andorra

Breeding population size: Fieldwork EBBA2, published at "Guia dels ocells d'Andorra. J. Nicolau & C. Pladevall, 2018"

Breeding short-term trend: Common Bird Monitoring Scheme of Andorra (SOCA)

Austria

Breeding population size: Albeegger & Schernhammer 2013-2016; Petutschnig & Probst (2017); Lentner (2016); E. Albeegger, G. Spreitzer unpublished data, BirdLife Austria, unpublished data from www.ornitho.at

Breeding short-term trend: Albeegger & Schernhammer 2013-2016; Albeegger et al. (2015); Petutschnig & Probst (2017); Lentner (2016); E. Albeegger unpublished data, BirdLife Austria, unpublished data from www.ornitho.at

Breeding long-term trend: Albeegger & Schernhammer 2013-2016; Albeegger et al. (2015); Petutschnig & Probst (2017); Lentner (2016); BirdLife Austria, unpublished data from www.ornitho.at; Dvorak, Ranner & Berg 1993 (Atlas of Austrian breeding bird 1981-1985);

Czechia

Breeding population size: Šťastný et Bejček in prep. - Atlas hnízdního rozšíření ptáků ČR 2014-2017

Breeding short-term trend: Trends in waterbird breeding population size were estimated using changes in population data from nation-wide numbers project of "Atlas of Breeding Bird Distribution" carried out in whole Czech Republic in 2001 -2003 and 2014 – 2017. Range of relative change in breeding population size was used as the measurement of population trend. The values of relative rate of change were compared with data from annual monitoring (census in May – see Musil & Fuchs 1994, Musil et al. 2001, Čehovská et al. 2019 for the methods) on limited amount of sites (fishpond regions in south and central Bohemia - see Musil & Fuchs 1994). Čehovská M., Musil P., Musilová Z., Poláková, K. & Zouhar J. 2019: Diving duck census efficiency based on monitoring of individually marked females: the influence of breeding stage of individual females and timing of census. Bird Study in press. Musil P. Cepák J. Hudec K. & Zárbynický J. 2001. The long-term trends in the breeding waterfowl populations in the Czech Republic. OMPO, Institute of Applied Ecology, Kostelec nad Černými lesy. Musil P. & Fuchs R. 1994: Changes in abundance of water birds species in southern Bohemia (Czech Republic) in the last 10 years. Development in Hydrobiologia. In: Kerekes J. J. [ed.]: Aquatic Birds in Trophic Web of Lakes. Hydrobiologia 279/280: 511–519.

Breeding long-term trend: Šťastný et al. 2006

Finland

Breeding population size: Lehikoinen, A., Below, A., Jukarainen, A., Laaksonen, T., Lehtiniemi, T., Mikkola-Roos, M., Pessa, J., Rajasärkkä, A., Rusanen, P., Sirkiä, P., Tiainen, J. & Valkama, J. 2019: Suomen lintujen pesimäkantojen koot. – Linnut-vuosikirja 2018: 38-45.

Breeding short-term trend: Unpublished line transect data of nature reserves by Metsähallitus, National Parks Finland.

Breeding long-term trend: Unpublished line transect data of nature reserves by Metsähallitus, National Parks Finland.

Italy

Breeding population size: Brichetti P & Fracasso G. 2004. Ornitologia italiana. Vol.2 (Tetraonidae-Scolopacidae). Alberto Perdisa Editore, Bologna - Bassi et al 2014, Riv. It. Orn. 84 (1): 47-52.

Breeding short-term trend: No recent data available

Breeding long-term trend: Brichetti P., Meschini E., 1993. Stima delle popolazioni di uccelli nidificanti. In Meschini E., Frugis S., 1993. Atlante degli uccelli nidificanti in Italia. Suppl. Ric. Biol. Selvaggina, 20, 1-345.

Norway

Breeding population size: Shimmings P. & Øien, I.J. 2015. Bestandsestimer og trender for norske hekkfugler. NOF-rapport 2015-2.

Breeding short-term trend: BirdLife Norway dotterel project

Breeding long-term trend: Shimmings P. & Øien, I.J. 2015. Bestandsestimer og trender for norske hekkfugler. NOF-rapport 2015-2.

Romania

Breeding population size: Ornitodata (Romanian Ornithological Society) Database, OpenBirdMaps (Milvus Group) Database, Rombird (Romanian Rarity Commission) Database

Breeding short-term trend: Ornitodata (Romanian Ornithological Society) Database, OpenBirdMaps (Milvus Group) Database, Rombird (Romanian Rarity Commission) Database

Breeding long-term trend: Ornitodata (Romanian Ornithological Society) Database, OpenBirdMaps (Milvus Group) Database, Rombird (Romanian Rarity Commission) Database

Russia

Breeding population size: Voltzit & Kalyakin 2013-2019; Database of the project on Atlas of breeding birds of European Russia

Breeding short-term trend: Tomkovich, expert opinion. pst@zmmu.msu.ru

Breeding long-term trend: Lappo et al. 2012

Spain

Breeding population size: Información proporcionada por las Comunidades Autónomas. Martí, R. & del Moral, J.C. (Eds.) (2003). Atlas de las Aves Reproductoras de España. Dirección General de Conservación de la Naturaleza- Sociedad Española de Ornitología. Madrid, 733 pp. (https://www.miteco.gob.es/es/biodiversidad/temas/inventarios-nacionales/inventario-especies-terrestres/inventario-nacional-de-biodiversidad/ieet_aves_atlas.aspx) SEO/BirdLife (2018). Censos de aves acuáticas. (<http://www.acuaticas.org/WebForms/ConsultaContenidos/Paginas/RealMapasDistAbunEspecie.aspx>)

Eudromias morinellus (Eurasian Dotterel)

Spain

Breeding short-term trend: Información proporcionada por las Comunidades Autónomas. Martí, R. & del Moral, J.C. (Eds.) (2003). Atlas de las Aves Reproductoras de España. Dirección General de Conservación de la Naturaleza- Sociedad Española de Ornitología. Madrid, 733 pp. (https://www.miteco.gob.es/es/biodiversidad/temas/inventarios-nacionales/inventario-especies-terrestres/inventario-nacional-de-biodiversidad/ieet_aves_atlas.aspx) SEO/BirdLife (2018). Censos de aves acuáticas. (http://www.acuaticas.org/WebForms/ConsultaContenidos/Paginas/RealMapasDistAbunEspecie.aspx)
Breeding long-term trend: Martí, R. & del Moral, J.C. (Eds.) (2003). Atlas de las Aves Reproductoras de España. Dirección General de Conservación de la Naturaleza- Sociedad Española de Ornitología. Madrid, 733 pp. (https://www.miteco.gob.es/es/biodiversidad/temas/inventarios-nacionales/inventario-especies-terrestres/inventario-nacional-de-biodiversidad/ieet_aves_atlas.aspx) SEO/BirdLife (2018). Censos de aves acuáticas. (http://www.acuaticas.org/WebForms/ConsultaContenidos/Paginas/RealMapasDistAbunEspecie.aspx)
Winter population size: Cornell Lab (2018). eBird. Plataforma online para el registro de observaciones de aves. (https://ebird.org/home) Información proporcionada por las Comunidades Autónomas. SEO/BirdLife (2012). Atlas de las aves en invierno en España 2007-2010. Ministerio de Agricultura, Alimentación y Medio Ambiente-SEO/ BirdLife. Madrid. 817 pp. (https://www.miteco.gob.es/es/biodiversidad/temas/inventarios-nacionales/atlas_aves_invierno_tcm30-198034.pdf) SEO/BirdLife (2018). Censos de aves acuáticas. (http://www.acuaticas.org/WebForms/ConsultaContenidos/Paginas/RealMapasDistAbunEspecie.aspx)
Winter short-term trend: Información proporcionada por las Comunidades Autónomas. SEO/BirdLife (2012). Atlas de las aves en invierno en España 2007-2010. Ministerio de Agricultura, Alimentación y Medio Ambiente-SEO/ BirdLife. Madrid. 817 pp. (https://www.miteco.gob.es/es/biodiversidad/temas/inventarios-nacionales/atlas_aves_invierno_tcm30-198034.pdf) SEO/BirdLife (2018). Censos de aves acuáticas. (http://www.acuaticas.org/WebForms/ConsultaContenidos/Paginas/RealMapasDistAbunEspecie.aspx)
Winter long-term trend: SEO/BirdLife (2012). Atlas de las aves en invierno en España 2007-2010. Ministerio de Agricultura, Alimentación y Medio Ambiente-SEO/ BirdLife. Madrid. 817 pp. (https://www.miteco.gob.es/es/biodiversidad/temas/inventarios-nacionales/atlas_aves_invierno_tcm30-198034.pdf) SEO/BirdLife (2018). Censos de aves acuáticas. (http://www.acuaticas.org/WebForms/ConsultaContenidos/Paginas/RealMapasDistAbunEspecie.aspx)

Sweden

Breeding population size: Ottosson, U., Ottvall, R., Elmberg, J., Green, M., Gustafsson, R., Haas, F., Holmqvist, N., Lindström, Å., Nilsson, L., Svensson, M., Svensson, S. & Tjernberg, M. 2012. Fåglarna i Sverige – antal och förekomst. SOF, Halmstad. Swedish Bird Survey. BirdLife Sverige, Annual Bird reports.
Breeding short-term trend: Svensk fågeltaxering - Swedish Bird Survey
Breeding long-term trend: Svensk fågeltaxering - Swedish Bird Survey

United Kingdom

Breeding population size: Hayhow, D.B., Ewing, S.R., Baxter, A., Douse, A., Stanbury, A., Whitfield, D.P. & Eaton, M.A. 2015. Changes in the abundance and distribution of a montane specialist bird, the Dotterel <i>Charadrius morinellus</i> , in the UK over 25 years. <i>Bird Study</i> 62: 443-456.
Breeding short-term trend: Whitfield, D.P. 2002. Status of breeding Dotterel <i>Charadrius morinellus</i> in Britain in 1999. <i>Bird Study</i> 49: 237-249. Hayhow, D.B., Ewing, S.R., Baxter, A., Douse, A., Stanbury, A., Whitfield, D.P. & Eaton, M.A. 2015. Changes in the abundance and distribution of a montane specialist bird, the Dotterel <i>Charadrius morinellus</i> , in the UK over 25 years. <i>Bird Study</i> 62: 443-456.
Breeding long-term trend: Sharrock, J.T.R. 1976. The Atlas of Breeding Birds in Britain and Ireland. Poyser, London. Hayhow, D.B., Ewing, S.R., Baxter, A., Douse, A., Stanbury, A., Whitfield, D.P. & Eaton, M.A. 2015. Changes in the abundance and distribution of a montane specialist bird, the Dotterel <i>Charadrius morinellus</i> , in the UK over 25 years. <i>Bird Study</i> 62: 443-456.

Bibliography

- Bird, J. P., Martin, R., Akçakaya, H. R., Gilroy, J., Burfield, I. J., Garnett, S. G., Symes, A., Taylor, J., Sekercioglu, Ç. H. and Butchart, S. H. M. 2020. Generation lengths of the world's birds and their implications for extinction risk. *Conservation Biology* 34(5): 1252-1261. DOI: 10.1111/cobi.13486.
- Brazil, M. 2009. *Birds of East Asia: eastern China, Taiwan, Korea, Japan, eastern Russia*. Christopher Helm, London.
- Delany, S. and Scott, D. 2006. *Waterbird population estimates*. Wetlands International, Wageningen, The Netherlands.
- Hayman, P., Marchant, J. and Prater, A.J. 1986. *Shorebirds*. Croom Helm, London.
- Johnsgard, P.A. 1981. *The plovers, sandpipers and snipes of the world*. University of Nebraska Press, Lincoln, U.S.A. and London.
- Wiersma, P. and Kirwan, G.M. 2013. Eurasian Dotterel (*Eudromias morinellus*). In: J. del Hoyo, A. Elliott, J. Sargatal, D.A. Christie & E. de Juana (eds), *Handbook of the Birds of the World Alive*, Lynx Edicions, Barcelona.
- del Hoyo, J., Elliott, A. and Sargatal, J. (eds). 1996. *Handbook of the Birds of the World, Vol. 3: Hoatzin to Auks*. Lynx Edicions, Barcelona, Spain.