Falco rusticolus (Gyrfalcon)

European Red List of Birds

Supplementary Material

The European Union (EU28) Red List assessments were based principally on the official data reported by EU Member States to the European Commission under Article 12 of the Birds Directive in 2019-20. For the European Red List assessments, similar data were sourced from BirdLife Partners and other collaborating experts in other European countries and territories. For more information, see BirdLife International (2021).

Contents

Reported national population sizes and trends
Trend maps of reported national population data
Sources of reported national population data
Species factsheet bibliography

Recommended citation

BirdLife International (2021) European Red List of Birds. Luxembourg: Publications Office of the European Union.

Further information

http://datazone.birdlife.org/info/euroredlist
http://www.birdlife.org/europe-and-central-asia/european-red-list-birds-0
http://www.iucnredlist.org/regions/europe
http://ec.europa.eu/environment/nature/conservation/species/redlist/

Data requests and feedback

To request access to these data in electronic format, provide new information, correct any errors or provide feedback, please email science@birdlife.org.

Falco rusticolus (Gyrfalcon)

Table 1. Reported national breeding population size and trends in Europe[1].

Country (or territory)[2]	Population estimate				Short-term population trend[5]				Long-term population trend[5]				Subspecific population (where relevant)
	Size (pairs)[3]	Europe (%)	Year(s)	Method[4]	Direction[6]	Magnitude (%)[7]	Year(s)	Method[4]	Direction[6]	Magnitude (%)[7]	Year(s)	Method[4]	
DK: Greenland	200–500	24	2018	partial	0		2007-2018	partial	0		1989-2018	partial	
Finland	16–27	2	2013-2018	complete	-	-63 to -39	2007-2018	complete	-	-55 to -36	2000-2018	expert	
Iceland	300–400	26	2018	partial	F		2006-2018	partial	F		1980-2018	partial	
Norway	310–520	31	2013-2018	complete	?		2013-2018	deficient	0		1980-2018	partial	
Russia	90–190	10	2008-2018	partial	0		2008-2018	partial	?		1980-2018	partial	
Sweden	80–100	7	2013-2018	complete	-	-30 to -10	2007-2018	complete	-	-30 to -10	1980-2018	complete	
EU28	90–130	8											
Europe	**1000–1800**	**100**											

[1] See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at http://bd.eionet.europa.eu/article12/report.
[2] The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.
[3] In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.
[4] The 'method used' (replacing the data 'quality' assessment in the 2015 European Red List) is reported as: a) Complete: complete survey or a statistically robust estimate; b) Partial: based mainly on extrapolation from a limited amount of data; c) Expert: based mainly on expert opinion with very limited data; d) Defficient: insufficient or no data available.
[5] The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.
[6] Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).
[7] Trend magnitudes are rounded to the nearest integer.

Table 2. Reported national wintering population sizes and trends in Europe[1]. Note that some countries within the species' wintering range did not report any data, and that only minimum totals are presented, to avoid double-counting of birds moving between countries.

Country (or territory)[2]	Population estimate				Short-term population trend[5]				Long-term population trend[5]				Subspecific population (where relevant)
	Size (individuals)[3]	Europe (%)	Year(s)	Method[4]	Direction[6]	Magnitude (%)[7]	Year(s)	Method[4]	Direction[6]	Magnitude (%)[7]	Year(s)	Method[4]	
DK: Greenland	500–1000	40	2018	expert	?		2007-2018	deficient	?		1989-2018	expert	
Iceland	900–1200	60	2018	expert	0		2002-2014	partial	0		1980-2018	partial	
Europe	**1400–2200**	**100**											

[1] See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at http://bd.eionet.europa.eu/article12/report.
[2] The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.
[3] In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.
[4] The 'method used' (replacing the data 'quality' assessment in the 2015 European Red List) is reported as: a) Complete: complete survey or a statistically robust estimate; b) Partial: based mainly on extrapolation from a limited amount of data; c) Expert: based mainly on expert opinion with very limited data; d) Defficient: insufficient or no data available.
[5] The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.
[6] Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).
[7] Trend magnitudes are rounded to the nearest integer.

Trend maps

A symbol appears in each country where the species occurs: the shape and colour of the symbol represent the population trend in that country, and the size of the symbol corresponds to the proportion of the European population occurring in that country.

KEY

- Large increase (≥50%)
- Moderate increase (20–49%)
- Small increase (<20%)
- Increase of unknown magnitude
- Stable or fluctuating
- Unknown
- Present (no population or trend data)
- Extinct since 1980
- Large decrease (≥50%)
- Moderate decrease (20–49%)
- Small decrease (<20%)
- Decrease of unknown magnitude

Each symbol, with the exception of Present and Extinct, may occur in up to three different size classes, corresponding to the proportion of the European population occurring in that country.

- Large: ≥10% of the European population
- Medium: 1–9% of the European population
- Small: <1% of the European population

The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Figure 1. Breeding population sizes and short-term trends across Europe.




Figure 2. Breeding population sizes and long-term trends across Europe.




Figure 3. Reported wintering population sizes and short-term trends across Europe. Note that some countries within the species' wintering range did not report any data.





Figure 4. Reported wintering population sizes and long-term trends across Europe. Note that some countries within the species' wintering range did not report any data.



Sources

DK: Greenland

Breeding population size: Boertmann & Bay: The Greenland Red list: http://www.natur.gl/roedliste/
Breeding short-term trend: K. Burnham pers. com.
Breeding long-term trend: K. Burnham pers. com.

Finland

Breeding population size: Metsähallitus, monitoring data Lehikoinen, A. , Below, A., Jukarainen, A., Laaksonen, T., Lehtiniemi, T., Mikkola-Roos, M., Pessa, J., Rajasärkkä, A., Rusanen, P., Sirkiä, P., Tiainen, J. & Valkama, J. 2019: Suomen lintujen pesimäkantojen koot. – Linnut-vuosikirja 2018: 38-45.
Breeding short-term trend: Metsähallitus, monitoring data. 2001-2018 decrease of 38% Meller, K., Björklund, H., Saurola, P. & Valkama, J. 2019: Kuuma kesä suosi haukkoja — myyräkato masensi pöllöjä. – Linnut-vuosikirja 2018: 80-95. (in Finnish with English summary). Björklund, H., Saurola, P. & Valkama, J. 2018: Breeding and population trends of common raptors and owls in Finland in 2017. – Linnut-vuosikirja 2017: 56–69. (in Finnish with English summary).
Breeding long-term trend: Metsähallitus, monitoring data. Pertti Koskimies, personal data. Meller, K., Björklund, H., Saurola, P. & Valkama, J. 2019: Kuuma kesä suosi haukkoja — myyräkato masensi pöllöjä. – Linnut-vuosikirja 2018: 80-95. (in Finnish with English summary). Björklund, H., Saurola, P. & Valkama, J. 2018: Breeding and population trends of common raptors and owls in Finland in 2017. – Linnut-vuosikirja 2017: 56–69. (in Finnish with English summary).

Iceland

Breeding population size: Umhverfisráðuneytið 1992. Iceland: national report to UNCED. Reykjavík: Umhverfisráðuneytið; Icelandic Institute of Natural History, unpubl.data.
Breeding short-term trend: Franke, A., K. Falk, K. Hawkshaw, S. Ambrose, D.L. Anderson, P.J.Bente, T. Booms, K.K. Burnham, et al. 2020. Status and trends of circumpolar peregrine falcon and gyrfalcon populations. InTerrestrial biodiversity in a rapidly changing Arctic, eds. N.M.Schmidt, and H. Jóhannesdóttir, Ambio vol. 49, Special Issue.https://doi.org/10.1007/s13280-019-01300-Franke, A., K. Falk, K. Hawkshaw, S. Ambrose, D.L. Anderson, P.J.Bente, T. Booms, K.K. Burnham, et al. 2020. Status and trends of circumpolar peregrine falcon and gyrfalcon populations. InTerrestrial biodiversity in a rapidly changing Arctic, eds. N.M.Schmidt, and H. Jóhannesdóttir, Ambio vol. 49, Special Issue.https://doi.org/10.1007/s13280-019-01300-Franke, A., K. Falk, K. Hawkshaw, S. Ambrose, D.L. Anderson, P.J.Bente, T. Booms, K.K. Burnham, et al. 2020. Status and trends of circumpolar peregrine falcon and gyrfalcon populations. InTerrestrial biodiversity in a rapidly changing Arctic, eds. N.M.Schmidt, and H. Jóhannesdóttir, Ambio vol. 49, Special Issue.https://doi.org/10.1007/s13280-019-01300-
Breeding long-term trend: Franke, A., K. Falk, K. Hawkshaw, S. Ambrose, D.L. Anderson, P.J.Bente, T. Booms, K.K. Burnham, et al. 2020. Status and trends of circumpolar peregrine falcon and gyrfalcon populations. InTerrestrial biodiversity in a rapidly changing Arctic, eds. N.M.Schmidt, and H. Jóhannesdóttir, Ambio vol. 49, Special Issue.https://doi.org/10.1007/s13280-019-01300-Franke, A., K. Falk, K. Hawkshaw, S. Ambrose, D.L. Anderson, P.J.Bente, T. Booms, K.K. Burnham, et al. 2020. Status and trends of circumpolar peregrine falcon and gyrfalcon populations. InTerrestrial biodiversity in a rapidly changing Arctic, eds. N.M.Schmidt, and H. Jóhannesdóttir, Ambio vol. 49, Special Issue.https://doi.org/10.1007/s13280-019-01300-Franke, A., K. Falk, K. Hawkshaw, S. Ambrose, D.L. Anderson, P.J.Bente, T. Booms, K.K. Burnham, et al. 2020. Status and trends of circumpolar peregrine falcon and gyrfalcon populations. InTerrestrial biodiversity in a rapidly changing Arctic, eds. N.M.Schmidt, and H. Jóhannesdóttir, Ambio vol. 49, Special Issue.https://doi.org/10.1007/s13280-019-01300-
Winter population size: Icelandic Institute of Natural History. Mid-winter bird counts, https://www.ni.is/greinar/vetrarfuglatalningar-nidurstodur; Icelandic Institute of Natural History, unpubl.data.
Winter short-term trend: Icelandic Institute of Natural History. Mid-winter bird counts, https://www.ni.is/greinar/vetrarfuglatalningar-nidurstodur; Icelandic Institute of Natural History, unpubl.data.
Winter long-term trend: Icelandic Institute of Natural History. Mid-winter bird counts, https://www.ni.is/greinar/vetrarfuglatalningar-nidurstodur; Icelandic Institute of Natural History, unpubl.data.

Norway

Breeding population size: Shimmings P. & Øien, I.J. 2015. Bestandsestimater og trender for norske hekkefugler. NOF-rapport 2015-2.
Breeding long-term trend: Heggøy, O. & Øien, I.J. 2014. Conseravtion status of birds of prey and owls in Norway. NOF-Rapport 1-2014- 129 pp.

Russia

Breeding population size: Voltzit & Kalyakin 2013-2019; Database of the project on Atlas of breeding birds of European Russia
Breeding short-term trend: Sorokin in prep.
Breeding long-term trend: Ganusevich 2001; Morozov 2012

Sweden

Breeding population size: Ottosson, U., Ottvall, R., Elmberg, J., Green, M., Gustafsson, R., Haas, F., Holmqvist, N., Lindström, Å., Nilsson, L., Svensson, M., Svensson, S. & Tjernberg, M. 2012. Fåglarna i Sverige – antal och förekomst. SOF, Halmstad. Swedish Bird Survey. BirdLife Sverige, Annual Bird reports.
Breeding short-term trend: Projekt jaktfalk Project Gyrfalcon
Breeding long-term trend: Projekt jaktfalk Project Gyrfalcon

Bibliography

Bird, J. P., Martin, R., Akçakaya, H. R., Gilroy, J., Burfield, I. J., Garnett, S. G., Symes, A., Taylor, J., Sekercioglu, Ç. H. and Butchart, S. H. M. 2020. Generation lengths of the world's birds and their implications for extinction risk. Conservation Biology 34(5): 1252-1261. DOI: 10.1111/cobi.13486.

Brazil, M. 2009. Birds of East Asia: eastern China, Taiwan, Korea, Japan, eastern Russia. Christopher Helm, London.

Hagemeijer, E.J.M. and Blair, M.J. 1997. The EBCC atlas of European breeding birds: their distribution and abundance. T. and A.D. Poyser, London.

Koskimies, P. 1999. International species action plan: Gyrfalcon Falco rusticolus.

MATZ, A., T. SWEM, P. JOHNSON, T. BOOMS, ANDC. WHITE. 2011. otential for climate change toincrease contaminants exposure and effects in Gyrfalcons. In: R. T. Watson, T. J.Cade, M. Fuller, G. Hunt, and E. Potapov (eds), Gyrfalcons and Ptarmigan in a Changing World, pp. 161–176. The Peregrine Fund, Boise, Idaho, USA.

Rich, T.D., Beardmore, C.J., Berlanga, H., Blancher, P.J., Bradstreet, M.S.W., Butcher, G.S., Demarest, D.W., Dunn, E.H., Hunter, W.C., Inigo-Elias, E.E., Martell, A.M., Panjabi, A.O., Pashley, D.N., Rosenberg, K.V., Rustay, C.M., Wendt, J.S. and Will, T.C. 2004. Partners in flight: North American landbird conservation plan. Cornell Lab of Ornithology, Ithaca, NY.

Tucker, G.M. and Heath, M.F. 1994. Birds in Europe: Their Conservation Status. BirdLife International, Cambridge, U.K.

White, C.M., Kirwan, G.M. and Boesman, P. 2013. Gyrfalcon (Falco rusticolus). In: del Hoyo, J., Elliott, A., Sargatal, J., Christie, D.A. and de Juana, E. (eds), Handbook of the Birds of the World Alive, Lynx Edicions, Barcelona.