Luscinia luscinia (Thrush Nightingale)

European Red List of Birds

Supplementary Material

The European Union (EU28) Red List assessments were based principally on the official data reported by EU Member States to the European Commission under Article 12 of the Birds Directive in 2019-20. For the European Red List assessments, similar data were sourced from BirdLife Partners and other collaborating experts in other European countries and territories. For more information, see BirdLife International (2021).

Contents

Reported national population sizes and trends
Trend maps of reported national population data
Sources of reported national population data
Species factsheet bibliography

Recommended citation

BirdLife International (2021) European Red List of Birds. Luxembourg: Publications Office of the European Union.

Further information

http://datazone.birdlife.org/info/euroredlist
http://www.birdlife.org/europe-and-central-asia/european-red-list-birds-0
http://www.iucnredlist.org/regions/europe
http://ec.europa.eu/environment/nature/conservation/species/redlist/

Data requests and feedback

To request access to these data in electronic format, provide new information, correct any errors or provide feedback, please email science@birdlife.org.

Luscinia luscinia (Thrush Nightingale)

Table 1. Reported national breeding population size and trends in Europe[1].

Country (or territory)[2]	Population estimate				Short-term population trend[5]				Long-term population trend[5]				Subspecific population (where relevant)
	Size (pairs)[3]	Europe (%)	Year(s)	Method[4]	Direction[6]	Magnitude (%)[7]	Year(s)	Method[4]	Direction[6]	Magnitude (%)[7]	Year(s)	Method[4]	
Belarus	600000–800000	12	2010-2018	partial	0	-10 to 10	2012-2019	expert	0	0	1980-2019	expert	
Bulgaria	10–50	<1	2005-2018	partial	0	0	2000-2018	partial	0	0	1980-2018	partial	
Czechia	0	<1	2014-2017	complete	?		2007-2018	deficient	?		1980-2018	deficient	
Denmark	40600–40700	<1	2017	partial	-	-46 to -16	2006-2017	complete	-	-62 to -52	1980-2017	complete	
Estonia	60000–120000	2	2013-2017	expert	-	-67 to -65	2007-2018	expert	-	-29 to -27	1983-2018	expert	
Finland	14500–26900	<1	2013-2018	complete	-	-59 to -26	2007-2018	complete	0	-67 to 25	1980-2018	complete	
Georgia	330–3300	<1	2013-2017	partial	?			deficient	?				
Germany	4000–6000	<1	2016-2016	expert	-		2004-2016	expert	-		1985-2016	expert	
Hungary	0–5	<1	2013-2018	partial	0		2007-2018	partial	-	-100 to -99	1980-2018	partial	
Latvia	122000–213000	3	2016-2016	complete	0	-26 to 20	2005-2018	complete	+	8 to 129	1995-2018	complete	
Lithuania	60000–90000	1	2013-2018	partial	-	-10 to -5	2013-2018	partial	-	-10 to -5	1980-2018	partial	
Moldova	15000–30000	<1	2014-2017	partial	0		2007-2018	partial	0		1990-2018	expert	
Norway	500–1000	<1	2013-2018	partial	?		2013-2018	deficient	?		1980-2018	partial	
Poland	121000–170000	3	2013-2018	complete	-	-47 to -30	2007-2018	complete	?		1980-2018	deficient	
Romania	31900–84000	<1	2013-2015	complete	?	-7 to 12	2008-2018	complete	?		1980-2018	deficient	
Russia	3000000–5100000	70	2008-2018	partial	+	0	2008-2018	partial	+	0	1980-2018	partial	
Slovakia	1000–1500	<1	2013-2018	partial	0		2007-2018	partial	-	-25 to -1	1980-2018	expert	
Sweden	24000–30000	<1	2013-2018	partial	-	-35 to -17	2007-2018	partial	-	-68 to -60	1980-2018	partial	
Ukraine	300000–420000	6	2015-2017	partial	0		2010-2018	partial	0		1980-2019	partial	
EU28	479000–782000	11											
Europe	**4390000–7140000**	**100**											

[1] See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at http://bd.eionet.europa.eu/article12/report.
[2] The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.
[3] In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.
[4] The 'method used' (replacing the data 'quality' assessment in the 2015 European Red List) is reported as: a) Complete: complete survey or a statistically robust estimate; b) Partial: based mainly on extrapolation from a limited amount of data; c) Expert: based mainly on expert opinion with very limited data; d) Defficient: insufficient or no data available.
[5] The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.
[6] Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).
[7] Trend magnitudes are rounded to the nearest integer.

Trend maps

A symbol appears in each country where the species occurs: the shape and colour of the symbol represent the population trend in that country, and the size of the symbol corresponds to the proportion of the European population occurring in that country.

KEY

- Large increase (≥50%)
- Moderate increase (20–49%)
- Small increase (<20%)
- Increase of unknown magnitude
- Large decrease (≥50%)
- Moderate decrease (20–49%)
- Small decrease (<20%)
- Decrease of unknown magnitude
- Stable or fluctuating
- Unknown
- Present (no population or trend data)
- Extinct since 1980

Each symbol, with the exception of Present and Extinct, may occur in up to three different size classes, corresponding to the proportion of the European population occurring in that country.

- Large: ≥10% of the European population
- Medium: 1–9% of the European population
- Small: <1% of the European population

The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Figure 1. Breeding population sizes and short-term trends across Europe.



Figure 2. Breeding population sizes and long-term trends across Europe.



Sources

Belarus

Breeding population size: Research work of the National Academy of Sciences of the Republic of Belarus “Dynamics and predictive assessment of changes in the state of populations of the main resource and biocenotically most important bird species in Belarus”
Breeding long-term trend: Nikiforov M.E., Kozulin A.V., eds. Belarussian birds at the beginning of XXI century: status, numbers, distribution. - 1997. - Minsk. - 187 p.

Bulgaria

Breeding population size: Iankov, P. (ed.) 2007 Atlas of Breeding Birds in Bulgaria. Bulgarian Society for the Protection of Birds, Conservation Series, Book 10, Sofia, BSPB, 679 p.; National Art. 12 reporting database 2013-2018; BSPB Bird Database
Breeding short-term trend: Iankov, P. (ed.) 2007 Atlas of Breeding Birds in Bulgaria. Bulgarian Society for the Protection of Birds, Conservation Series, Book 10, Sofia, BSPB, 679 p.; National Art. 12 reporting database 2013-2018;
Breeding long-term trend: Iankov, P. (ed.) 2007 Atlas of Breeding Birds in Bulgaria. Bulgarian Society for the Protection of Birds, Conservation Series, Book 10, Sofia, BSPB, 679 p.

Czechia

Breeding population size: Šťastný et Bejček in prep. - Atlas hnízdního rozšíření ptáků ČR 2014-2017
Breeding short-term trend: expert opinion
Breeding long-term trend: expert opinion

Denmark

Breeding population size: Charlotte M. Moshøj, Daniel Palm Eskildsen, Michael Fink Jørgensen & Thomas Vikstrøm, (2018): Overvågning af de almindelige fuglearter i Danmark 1975-2017 & Mandrup, E. 1997, Hvor mange fugle yngler i Danmark, Dansk Ornitologisk Tidsskrift, nr 3, 1997
Breeding short-term trend: Charlotte M. Moshøj, Daniel Palm Eskildsen, Michael Fink Jørgensen & Thomas Vikstrøm, (2018): Overvågning af de almindelige fuglearter i Danmark 1975-2017
Breeding long-term trend: Charlotte M. Moshøj, Daniel Palm Eskildsen, Michael Fink Jørgensen & Thomas Vikstrøm, (2018): Overvågning af de almindelige fuglearter i Danmark 1975-2017

Estonia

Breeding population size: Estonian Working Group on Bird Status and Numbers
Breeding short-term trend: [1] Estonian Working Group on Bird Status and Numbers [2] Point counts of breeding birds. http://seire.keskkonnainfo.ee/index.php?option=com_content&view=article&id=3417&Itemid=5815
Breeding long-term trend: Estonian Working Group on Bird Status and Numbers

Finland

Breeding population size: Lehikoinen, A. , Below, A., Jukarainen, A., Laaksonen, T., Lehtiniemi, T., Mikkola-Roos, M., Pessa, J., Rajasärkkä, A., Rusanen, P., Sirkiä, P., Tiainen, J. & Valkama, J. 2019: Suomen lintujen pesimäkantojen koot. – Linnut-vuosikirja 2018: 38-45.
Breeding short-term trend: Bird monitoring schemes of the Finnish Museum of Natural History, University of Helsinki.
Breeding long-term trend: Bird monitoring schemes of the Finnish Museum of Natural History, University of Helsinki.

Georgia

Breeding population size: EBBA Georgia, prepared by Sabuko-Society for nature conservation, Ilia state university, NGO "psovi".

Germany

Breeding population size: Gerlach et al. (in Vorb.): Vögel in Deutschland – 2019. Dachverband Deutscher Avifaunisten, Bundesamt für Naturschutz und Länderarbeitsgemeinschaft der Vogelschutzwarten, Münster.
Breeding short-term trend: Gerlach et al. (in Vorb.): Vögel in Deutschland – 2019. Dachverband Deutscher Avifaunisten, Bundesamt für Naturschutz und Länderarbeitsgemeinschaft der Vogelschutzwarten, Münster.
Breeding long-term trend: Gerlach et al. (in Vorb.): Vögel in Deutschland – 2019. Dachverband Deutscher Avifaunisten, Bundesamt für Naturschutz und Länderarbeitsgemeinschaft der Vogelschutzwarten, Münster.

Hungary

Breeding population size: Expert opinions http://www.birding.hu/ http://map.mme.hu/maps/map2
Breeding short-term trend: Expert opinions MME Nomenclator Bizottság (2008): Magyarország madarainak névjegyzéke. Nomenclator avium Hungariae. Magyar Madártani és Természetvédelmi Egyesület, Budapest. P. 278 http://www.birding.hu/ http://map.mme.hu/maps/map2
Breeding long-term trend: Expert opinions Haraszthy László (szerk.) (2000): Magyarország madarai. Mezőgazda Kiadó, Budapest, 448. MME Nomenclator Bizottság (2008): Magyarország madarainak névjegyzéke. Nomenclator avium Hungariae. Magyar Madártani és Természetvédelmi Egyesület, Budapest. P. 278 National Park Directorates' databases http://www.birding.hu/ http://map.mme.hu/maps/map2

Latvia

Breeding population size: Aunins A., Mardega I. 2018. [Countrywide monitoring of the common birds. Final report for the year 2018.] (in Latvian) Latvian Ornithological society
Breeding short-term trend: Aunins A., Mardega I. 2018. [Countrywide monitoring of the common birds. Final report for the year 2018.] (in Latvian) Latvian Ornithological society

Luscinia luscinia (Thrush Nightingale)

Latvia

Breeding long-term trend: Aunins A., Mardega I. 2018. [Countrywide monitoring of the common birds. Final report for the year 2018.] (in Latvian) Latvian Ornithological society

Lithuania

Breeding population size: Expert working group of the Lithuanian Ornithological Society (lod@birdlife.lt) 2015-2018. Lietuvos perinčių paukščių atlaso duomenų bazė (Lithuanian Breeding Birds Atlas Database). Vilnius. Ministry of Environment of the Republic of Lithuania. 2012. Status and trends of bird populations (Article 12, Birds Directive 2009/147/EC) National Summary 2008-2012 Lithuania.

Breeding short-term trend: Expert working group of the Lithuanian Ornithological Society (lod@birdlife.lt) 2015-2018. Lietuvos perinčių paukščių atlaso duomenų bazė (Lithuanian Breeding Birds Atlas Database). Vilnius. Ministry of Environment of the Republic of Lithuania. 2012. Status and trends of bird populations (Article 12, Birds Directive 2009/147/EC) National Summary 2008-2012 Lithuania.

Breeding long-term trend: Logminas, V. (ed.). 1991. Lietuvos fauna: paukščiai. Vilnius: „Mokslas". Kurlavičius, P. (ed.) 2006. Lietuvos perinčių paukščių atlasas. Kaunas: „Lututė". Expert working group of the Lithuanian Ornithological Society (lod@birdlife.lt) BirdLife International/European Bird Cencus Council. 2000. European bird populations: estimates and trends. Cambridge, UK: BirdLife International (BirdLife Conservation Series No. 10). Raudonikis L. 2004. Important Bird Areas of the European Union Importance in Lithuania. Lithuanian Ornithological Society & Institute of Ecology of Vilnius University. Lutute, Vilnius. Jusys, V., Karalius, S., Raudonikis, L. 2012. Lietuvos paukščių pažinimo vadovas. Kaunas: „Lututė". Ministry of Environment of the Republic of Lithuania. 2012. Status and trends of bird populations (Article 12, Birds Directive 2009/147/EC) National Summary 2008-2012 Lithuania. Expert working group of the Lithuanian Ornithological Society (lod@birdlife.lt) 2015-2018. Lietuvos perinčių paukščių atlaso duomenų bazė (Lithuanian Breeding Birds Atlas Database). Vilnius.

Moldova

Breeding population size: Moldova`s contribution for the second European Breeding Bird Atlas (EBBA2)

Breeding short-term trend: SPPN expert opinion (sppn.moldova@gmail.com)

Breeding long-term trend: SPPN expert opinion (sppn.moldova@gmail.com)

Norway

Breeding population size: Shimmings P. & Øien, I.J. 2015. Bestandsestimater og trender for norske hekkefugler. NOF-rapport 2015-2.

Breeding long-term trend: Shimmings, P. & Øien, I.J. 2015. Bestandsestimater for norske hekkefugler. NOF Rapport 2-2015. 268 pp.

Poland

Breeding population size: State Environmental Monitoring / Chief Inspectorate of Environmental Protection (survey: MPPL – Common Bird Survey)

Breeding short-term trend: State Environmental Monitoring / Chief Inspectorate of Environmental Protection (survey: MPPL)

Breeding long-term trend: Chief Inspectorate of Environmental Protection & Polish Society for the Protection of Birds (OTOP) / BirdLife Poland

Romania

Breeding population size: Romanian Common Bird Monitoring Programme, Ornitodata (Romanian Ornithological Society) Database, OpenBirdMaps (Milvus Group) Database

Breeding short-term trend: Romanian Common Bird Monitoring Programme, Ornitodata (Romanian Ornithological Society) Database, OpenBirdMaps (Milvus Group) Database

Breeding long-term trend: Ornitodata (Romanian Ornithological Society) Database, OpenBirdMaps (Milvus Group) Database, Rombird (Romanian Rarity Commission) Database

Russia

Breeding population size: Voltzit & Kalyakin 2013-2019; Database of the project on Atlas of breeding birds of European Russia

Breeding short-term trend: Preobrazhenskaya in press

Breeding long-term trend: Preobrazhenskaya 2009; Shepel unpublished †

Slovakia

Breeding population size: Coordinatory group for reporting 2019. Danko Štefan, Darolová Alžbeta, Krištín Anton: Rozšírenie vtákov na Slovensku. VEDA, vyd. SAV Bratislava, 2002.

Breeding short-term trend: Coordinatory group for reporting 2019, AVES-Symfony Database 2013-2018, KIMS Database 2013-2018. Danko Štefan, Darolová Alžbeta, Krištín Anton: Rozšírenie vtákov na Slovensku. VEDA, vyd. SAV Bratislava, 2002.

Breeding long-term trend: Coordinatory group for reporting 2019, AVES-Symfony Database 2013-2018, KIMS Database 2013-2018. Danko Štefan, Darolová Alžbeta, Krištín Anton: Rozšírenie vtákov na Slovensku. VEDA, vyd. SAV Bratislava, 2002.

Sweden

Breeding population size: Ottosson, U., Ottvall, R., Elmberg, J., Green, M., Gustafsson, R., Haas, F., Holmqvist, N., Lindström, Å., Nilsson, L., Svensson, M., Svensson, S. & Tjernberg, M. 2012. Fåglarna i Sverige – antal och förekomst. SOF, Halmstad. Swedish Bird Survey. BirdLife Sverige, Annual Bird reports.

Breeding short-term trend: Svensk fågeltaxering - Swedish Bird Survey

Breeding long-term trend: Svensk fågeltaxering - Swedish Bird Survey

Ukraine

Breeding population size: Atlas work, non-published data

Bibliography

Bird, J. P., Martin, R., Akçakaya, H. R., Gilroy, J., Burfield, I. J., Garnett, S. G., Symes, A., Taylor, J., Sekercioglu, Ç. H. and Butchart, S. H. M. 2020. Generation lengths of the world's birds and their implications for extinction risk. Conservation Biology 34(5): 1252-1261. DOI: 10.1111/cobi.13486.

BirdLife International. 2004. Birds in Europe: population estimates, trends and conservation status. BirdLife International, Cambridge, U.K.

Collar, N.J. 2005. Family Turdidae (Thrushes). In: del Hoyo, J., Elliott, A. and Christie, C. (eds), Handbook of birds of the world Vol. 10, pp. 514-807. Lynx Edicions, Barcelona, Spain.

Hagemeijer, E.J.M. and Blair, M.J. 1997. The EBCC atlas of European breeding birds: their distribution and abundance. T. and A.D. Poyser, London.

Jonzén, N., Lindén, A., Ergon, T., Knudsen, E., Vik, J.O., Rubolini, D., Piacentini, D., Brinch, C., Spina, F., Karlsson, L., Stervander, M., Andersson, A., Waldenström, J., Lehikoinen, A., Edvardsen, E., Solvang, R. and Stenseth, N.C. 2006. Rapid advance of spring arrival dates in long-distance migratory birds. Science 312(5782): 1959-1961.

Sokolov, L.V. and Gordienko, N.S. 2008. Has recent climate warming affected the dates of bird arrival to the Il'men Reserve in the Southern Urals? Russian Journal of Ecology 39: 56-62.

Stervander, M., Lindström, A., Jonzén, N. and Andersson, A. 2005. Timing of spring migration in birds: long-term trends, North Atlantic Oscillation and the significance of different migration routes. Journal of Avian Biology 36: 210-221.

Tøttrup, A.P., Thorup, K. and Rahbek, C. 2006. Patterns of change in timing of spring migration in North European songbird populations. Journal of Avian Biology 37: 84-92.

Zalakevicius, M., Bartkeviciene, G., Raudonikis, L. and Janulaitis, J. 2006. Spring arrival response to climate change in birds: a case study from eastern Europe. Journal of Ornithology 147: 326-343.