Sitta neumayer (Western Rock Nuthatch)

European Red List of Birds

Supplementary Material

The European Union (EU28) Red List assessments were based principally on the official data reported by EU Member States to the European Commission under Article 12 of the Birds Directive in 2019-20. For the European Red List assessments, similar data were sourced from BirdLife Partners and other collaborating experts in other European countries and territories. For more information, see BirdLife International (2021).

Contents

Reported national population sizes and trends
Trend maps of reported national population data
Sources of reported national population data
Species factsheet bibliography

Recommended citation

BirdLife International (2021) European Red List of Birds. Luxembourg: Publications Office of the European Union.

Further information

http://datazone.birdlife.org/info/euroredlist
http://www.birdlife.org/europe-and-central-asia/european-red-list-birds-0
http://www.iucnredlist.org/regions/europe
http://ec.europa.eu/environment/nature/conservation/species/redlist/

Data requests and feedback

To request access to these data in electronic format, provide new information, correct any errors or provide feedback, please email science@birdlife.org.

Sitta neumayer (Western Rock Nuthatch)

Table 1. Reported national breeding population size and trends in Europe[1].

Country (or territory)[2]	Population estimate				Short-term population trend[5]				Long-term population trend[5]				Subspecific population (where relevant)
	Size (pairs)[3]	Europe (%)	Year(s)	Method[4]	Direction[6]	Magnitude (%)[7]	Year(s)	Method[4]	Direction[6]	Magnitude (%)[7]	Year(s)	Method[4]	
Albania	1000–2300	<1	2007-2018	partial	-	-54 to -50	2007-2018	partial	-	-54 to -50	1980-2018	expert	
Armenia	4900–7300	<1	2013-2018	complete	+	3 to 7	2007-2018	complete	0		2003-2018	partial	
Azerbaijan	1000–10000	<1	1996-2019	expert	0		2013-2019	expert	?		1980-2019	expert	
Bosnia & HG	300–500	<1	2015-2018	complete	?	-10 to 10	2007-2018	complete	?		1980-2018	deficient	
Bulgaria	200–500	<1	2005-2018	partial	0	0 to 10	2000-2018	partial	+	10 to 15	1980-2018	expert	
Croatia	1000	<1	2014-2014	expert	?		2007-2018	deficient	?		1980-2018	deficient	
Georgia	230–2300	<1	2013-2017	partial	?			deficient	?				
Greece	10000–30000	<1	2015	partial	0		2007-2018	partial	+		1980-2018	partial	
North Macedonia	500–2000	<1	2014-2019	expert	0		2007-2018	expert	?		1980-2019		
Montenegro	400–600	<1	2002-2012	expert	0		2007-2018	expert	?				
Serbia	4–7	<1	2013-2018	expert	F	0	2007-2018	expert	?		1980-2018	deficient	
Turkey	1000000–5000000	99	2002-2012	deficient	?		2008-2019	deficient	?		1980-2013	deficient	
EU28	11200–31500	<1											
Europe	**1010000–5060000**	**100**											

[1] See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at http://bd.eionet.europa.eu/article12/report.
[2] The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.
[3] In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.
[4] The 'method used' (replacing the data 'quality' assessment in the 2015 European Red List) is reported as: a) Complete: complete survey or a statistically robust estimate; b) Partial: based mainly on extrapolation from a limited amount of data; c) Expert: based mainly on expert opinion with very limited data; d) Defficient: insufficient or no data available.
[5] The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.
[6] Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).
[7] Trend magnitudes are rounded to the nearest integer.

Trend maps

A symbol appears in each country where the species occurs: the shape and colour of the symbol represent the population trend in that country, and the size of the symbol corresponds to the proportion of the European population occurring in that country.

KEY

- Large increase (≥50%)
- Moderate increase (20–49%)
- Small increase (<20%)
- Increase of unknown magnitude
- Large decrease (≥50%)
- Moderate decrease (20–49%)
- Small decrease (<20%)
- Decrease of unknown magnitude
- Stable or fluctuating
- Unknown
- Present (no population or trend data)
- Extinct since 1980

Each symbol, with the exception of Present and Extinct, may occur in up to three different size classes, corresponding to the proportion of the European population occurring in that country.

- Large: ≥10% of the European population
- Medium: 1–9% of the European population
- Small: <1% of the European population

The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Figure 1. Breeding population sizes and short-term trends across Europe.



Figure 2. Breeding population sizes and long-term trends across Europe.



Sources

Albania

Breeding population size: Bino & Xeka 2020 in EBBA 2
Breeding short-term trend: Bino & Xeka pers. obs.
Breeding long-term trend: Bino pers. obs.

Armenia

Breeding population size: TSE NGO National Bird Monitoring data.
Breeding short-term trend: TSE (2020) The Atlas of the Breeding Birds in Armenia. In preparation.
Breeding long-term trend: TSE (2020) The Atlas of the Breeding Birds in Armenia. In preparation.

Azerbaijan

Breeding population size: Azerbaijan Red Data Book, AOS Data Base
Breeding short-term trend: AOS data base
Breeding long-term trend: AOS Data Base

Bosnia and Herzegovina

Breeding population size: Based on data for EBBA2
Breeding short-term trend: more individual articles e.g published in magazine Bilten mreže posmatrača ptica u Bosni i Hercegovini-see https://ptice.ba/bs/category/bilteni_/), individual reports (e.g. for EBBA2, projects etc)

Bulgaria

Breeding population size: Iankov, P. (ed.) 2007 Atlas of Breeding Birds in Bulgaria. Bulgarian Society for the Protection of Birds, Conservation Series, Book 10, Sofia, BSPB, 679 p. (In Bulgarian and English); National Art. 12 reporting database 2013-2018; Golemansky V. (ed.) 2011. Red Data Book of the Republic of Bulgaria. Digital edition, Vol. 2, Animals. BAS-MOEW, Sofia, http://e-ecodb.bas.bg/rdb/en/vol2/ BSPB database P.Shurulinkov -unpublished data
Breeding short-term trend: Iankov, P. (ed.) 2007 Atlas of Breeding Birds in Bulgaria. Bulgarian Society for the Protection of Birds, Conservation Series, Book 10, Sofia, BSPB, 679 p. (In Bulgarian and English); National Art. 12 reporting database 2013-2018; Golemansky V. (ed.) 2011. Red Data Book of the Republic of Bulgaria. Digital edition, Vol. 2, Animals. BAS-MOEW, Sofia, http://e-ecodb.bas.bg/rdb/en/vol2/ BSPB database
Breeding long-term trend: Iankov, P. (ed.) 2007 Atlas of Breeding Birds in Bulgaria. Bulgarian Society for the Protection of Birds, Conservation Series, Book 10, Sofia, BSPB, 679 p. (In Bulgarian and English) Golemansky V. (ed.) 2011. Red Data Book of the Republic of Bulgaria. Digital edition, Vol. 2, Animals. BAS-MOEW, Sofia, http://e-ecodb.bas.bg/rdb/en/vol2/ BSPB database Ivanov B. 2011. Fauna of Bulgaria.vol.30 Aves-part 3, BAS,Sofia.

Croatia

Breeding population size: BirdLife International 2015: European Red List of Birds. Luxembourg: Office for Official Publications of the European Communities.). http://datazone.birdlife.org/info/euroredlis
Breeding short-term trend: no data available
Breeding long-term trend: no data available

Georgia

Breeding population size: EBBA Georgia, prepared by Sabuko-Society for nature conservation, Ilia state university, NGO "psovi".

Greece

Breeding population size: 1) BirdLife International (2004) Birds in Europe:Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12). 2) Natura Viewer (http://natura2000.eea.europa.eu/#). 3) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Papazoglou, C. & Barov, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 4) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.).2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα.
Breeding short-term trend: 1) BirdLife International (2004) Birds in Europe:Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12). 2) Natura Viewer (http://natura2000.eea.europa.eu/#). 3) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Papazoglou, C. & Barov, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 4) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.).2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα.
Breeding long-term trend: 1) Handrinos,G., & Akriotis, T., (1997) The birds of Greece. C. Helm, A & C Black, London. 2) BirdLife International (2004) Birds in Europe:Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12). 3) Natura Viewer (http://natura2000.eea.europa.eu/#). 4) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Papazoglou, C. & Barov, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 5) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.).2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα.

North Macedonia

Breeding population size: unpublished data from the European Breeding Bird Atlas 2
Breeding short-term trend: unpublished data from the European Breeding Bird Atlas 2

Sitta neumayer (Western Rock Nuthatch)

Montenegro

Breeding population size: Rašović,B, Saveljić,D 2014 Unpub.data

Serbia

Breeding population size: EBBA2 project; Puzović, S., Radišić, D., Ružić, M., Rajković, D., Radaković, M., Pantović, U., Janković, M., Stojnić, N., Šćiban, M., Tucakov, M., Gergelj, J., Sekulić, G., Agošton, A. & Raković, M. 2015. Birds of Serbia: Breeding Population Estimates and Trends for the Period 2008-2013. Bird protection and study society of Serbia, and Department of Biology and Ecology, Faculty of Sciences, University of Novi Sad, Novi Sad.

Breeding short-term trend: EBBA2 project; Puzović, S., Radišić, D., Ružić, M., Rajković, D., Radaković, M., Pantović, U., Janković, M., Stojnić, N., Šćiban, M., Tucakov, M., Gergelj, J., Sekulić, G., Agošton, A. & Raković, M. 2015. Birds of Serbia: Breeding Population Estimates and Trends for the Period 2008-2013. Bird protection and study society of Serbia, and Department of Biology and Ecology, Faculty of Sciences, University of Novi Sad, Novi Sad.

Breeding long-term trend: EBBA2 project; Puzović, S., Radišić, D., Ružić, M., Rajković, D., Radaković, M., Pantović, U., Janković, M., Stojnić, N., Šćiban, M., Tucakov, M., Gergelj, J., Sekulić, G., Agošton, A. & Raković, M. 2015. Birds of Serbia: Breeding Population Estimates and Trends for the Period 2008-2013. Bird protection and study society of Serbia, and Department of Biology and Ecology, Faculty of Sciences, University of Novi Sad, Novi Sad.

Turkey

Breeding population size: Birdlife International (2004) Birds in Europe: population estimates, trends and conservation status, Cambridge UK: Birdlife International (Birdlife Conservation series no: 12) Kusbank Bird Database (Ebird)

Bibliography

Bird, J. P., Martin, R., Akçakaya, H. R., Gilroy, J., Burfield, I. J., Garnett, S. G., Symes, A., Taylor, J., Sekercioglu, Ç. H. and Butchart, S. H. M. 2020. Generation lengths of the world's birds and their implications for extinction risk. Conservation Biology 34(5): 1252-1261. DOI: 10.1111/cobi.13486.

BirdLife International. 2004. Birds in Europe: population estimates, trends and conservation status. BirdLife International, Cambridge, U.K.

Hagemeijer, E.J.M. and Blair, M.J. 1997. The EBCC atlas of European breeding birds: their distribution and abundance. T. and A.D. Poyser, London.

Snow, D.W. and Perrins, C.M. 1998. The Birds of the Western Palearctic, Volume 2: Passerines. Oxford University Press, Oxford.