

***Chersophilus duponti* (Dupont's Lark)**

European Red List of Birds

Supplementary Material

The European Union (EU28) Red List assessments were based principally on the official data reported by EU Member States to the European Commission under Article 12 of the Birds Directive in 2019-20. For the European Red List assessments, similar data were sourced from BirdLife Partners and other collaborating experts in other European countries and territories. For more information, see BirdLife International (2021).

Contents

Reported national population sizes and trends
Trend maps of reported national population data
Sources of reported national population data
Species factsheet bibliography

Recommended citation

BirdLife International (2021) European Red List of Birds. Luxembourg: Publications Office of the European Union.

Further information

<http://datazone.birdlife.org/info/euroredlist>
<http://www.birdlife.org/europe-and-central-asia/european-red-list-birds-0>
<http://www.iucnredlist.org/regions/europe>
<http://ec.europa.eu/environment/nature/conservation/species/redlist/>

Data requests and feedback

To request access to these data in electronic format, provide new information, correct any errors or provide feedback, please email science@birdlife.org.

Chersophilus duponti (Dupont's Lark)

Table 1. Reported national breeding population size and trends in Europe¹.

Country (or territory) ²	Population estimate				Short-term population trend ⁵				Long-term population trend ⁵				Subspecific population (where relevant)
	Size (pairs) ³	Europe (%)	Year(s)	Method ⁴	Direction ⁶	Magnitude (%) ⁷	Year(s)	Method ⁴	Direction ⁶	Magnitude (%) ⁷	Year(s)	Method ⁴	
Spain	2300–2400	100	2003–2018	complete	-	-50 to -32	2004–2018	complete	-		1980–2018	partial	
EU28	2300–2400	100											
Europe	2300–2400	100											

¹ See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at <http://bd.eionet.europa.eu/article12/report>.

² The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

³ In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.

⁴ The 'method used' (replacing the data 'quality' assessment in the 2015 European Red List) is reported as: a) Complete: complete survey or a statistically robust estimate; b) Partial: based mainly on extrapolation from a limited amount of data; c) Expert: based mainly on expert opinion with very limited data; d) Defficient: insufficient or no data available.

⁵ The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.

⁶ Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).

⁷ Trend magnitudes are rounded to the nearest integer.

Trend maps

A symbol appears in each country where the species occurs: the shape and colour of the symbol represent the population trend in that country, and the size of the symbol corresponds to the proportion of the European population occurring in that country.

KEY

- | | |
|---|----------------------------------|
| ↑ Large increase ($\geq 50\%$) | ↓ Large decrease ($\geq 50\%$) |
| ↑ Moderate increase (20–49%) | ↓ Moderate decrease (20–49%) |
| ↑ Small increase ($< 20\%$) | ↓ Small decrease ($< 20\%$) |
| ↑ Increase of unknown magnitude | ↓ Decrease of unknown magnitude |
| ■ Stable or fluctuating | |
| □ Unknown | |
| ○ Present (no population or trend data) | |
| × Extinct since 1980 | |

Each symbol, with the exception of Present and Extinct, may occur in up to three different size classes, corresponding to the proportion of the European population occurring in that country.

- ↑ Large: $\geq 10\%$ of the European population
- ↑ Medium: 1–9% of the European population
- ↑ Small: $< 1\%$ of the European population

The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Figure 1. Breeding population sizes and short-term trends across Europe.




Figure 2. Breeding population sizes and long-term trends across Europe.



Sources

Spain

Breeding population size: Información proporcionada por las Comunidades Autónomas. Traba, J., Garza, V., García-Antón, A., Gómez-Catasús, J., Zurdo, J., Pérez-Granados, C., Morales, M.B., Oñate, J.J., Herranz, J. & Malo, J. (2019) Criterios para la gestión y conservación de la población española de alondra ricotí <i>Chersophilus duponti</i> . Fundación Biodiversidad, Ministerio para la Transición Ecológica. Madrid.
Breeding short-term trend: Gómez-Catasús, J., Pérez-Granados, C., Barrero, A., Bota, G., Giralt, D., López-Iborra, G.M., Serrano, D. & Traba, J. (2018). European population trends and current conservation status of an endangered steppe-bird species: the Dupont's lark <i>Chersophilus duponti</i> . <i>PeerJ</i> , 6, e5627. Información proporcionada por las Comunidades Autónomas. Traba, J., Garza, V., García-Antón, A., Gómez-Catasús, J., Zurdo, J., Pérez-Granados, C., Morales, M.B., Oñate, J.J., Herranz, J. & Malo, J. (2019) Criterios para la gestión y conservación de la población española de alondra ricotí <i>Chersophilus duponti</i> . Fundación Biodiversidad, Ministerio para la Transición Ecológica. Madrid.
Breeding long-term trend: Garza, V., Traba, J. & Suárez, F. (2003). Is the European population of Dupont's Lark <i>Chersophilus duponti</i> adequately estimated? <i>Bird Study</i> , 50: 309-311. Información proporcionada por las Comunidades Autónomas. Iñigo, A., Garza, V., Tella, J.L., Laiolo, P., Suárez, F. & Brow, B. (2008). Action plan for the Dupont's Lark <i>Chersophilus duponti</i> in the European Union. 34pp. Madroño, A., González, C. & Atienza, J.C. (Eds.). (2004). Libro Rojo de las Aves de España. Dirección General para la Biodiversidad-SEO/BirdLife, Madrid. 452 pp. (https://www.miteco.gob.es/es/biodiversidad/temas/inventarios-nacionales/Ircompletoparaweb_tcm30-207942.pdf) Martí, R. & del Moral, J.C. (Eds.) (2003). Atlas de las Aves Reproductoras de España. Dirección General de Conservación de la Naturaleza- Sociedad Española de Ornitología. Madrid, 733 pp. (https://www.miteco.gob.es/es/biodiversidad/temas/inventarios-nacionales/inventario-especies-terrestres/inventario-nacional-de-biodiversidad/ieet_aves_atlas.aspx) Pérez-Granados, C. & López-Iborra, G.M. (2014). ¿Por qué la alondra ricotí debe catalogarse como "En peligro de Extinción"? <i>Quercus</i> , 337: 18-25. Suárez, F. (2010). La alondra ricotí (<i>Chersophilus duponti</i>). Dirección General para la Biodiversidad: Ministerio de Medio Ambiente, y Medio Rural y Marino. Madrid. 525 pp. Tella, J. L., Vögeli, M., Serrano, D. & Carrete, M. 82005). Current status of the threatened Dupont's Lark <i>Chersophilus duponti</i> in Spain: overestimation, decline, and extinction of local populations. <i>Oryx</i> 39: 90-94. Traba, J., Garza, V., García-Antón, A., Gómez-Catasús, J., Zurdo, J., Pérez-Granados, C., Morales, M.B., Oñate, J.J., Herranz, J. & Malo, J. (2019) Criterios para la gestión y conservación de la población española de alondra ricotí <i>Chersophilus duponti</i> . Fundación Biodiversidad, Ministerio para la Transición Ecológica. Madrid.

Bibliography

- Bird, J. P., Martin, R., Akçakaya, H. R., Gilroy, J., Burfield, I. J., Garnett, S. G., Symes, A., Taylor, J., Sekercioglu, Ç. H. and Butchart, S. H. M. 2020. Generation lengths of the world's birds and their implications for extinction risk. *Conservation Biology* 34(5): 1252-1261. DOI: 10.1111/cobi.13486.
- BirdLife International. 2004. Birds in Europe: population estimates, trends and conservation status. BirdLife International, Cambridge, U.K.
- Cramp, S. 1988. Handbook of the birds of Europe, the Middle East and Africa. The birds of the western Palearctic vol. V: tyrant flycatchers to thrushes. Oxford University Press, Oxford, UK.
- De Juana, E. and Suárez, F. 2004. Dupont's lark *Chersophilus duponti*. In: J. del Hoyo, A. Elliott & D. Christie (eds), *Handbook of the Birds of the World.*, Lynx Edicions, Barcelona.
- García, J.T., Suárez, F., Garza, V., Justribó, J.H., Oñate, J.J., Hervás, I., Calero, M. and Morena, E.L.G. 2008. Assessing the distribution, habitat, and population size of the threatened Dupont's Lark *Chersophilus duponti* in Morocco: lessons for conservation. *Oryx* 42(4): 592-599.
- García, J.T., Suárez, F., Garza, V., Justribó, J.H., Oñate, J.J., Hervás, I., Calero, M. and Morena, E.L.G. 2008. Assessing the distribution, habitat, and population size of the threatened Dupont's Lark *Chersophilus duponti* in Morocco: lessons for conservation. *Oryx* 42(4): 592-599.
- Garza, V. and Suárez, F. 1990. Distribution, population and habitat selection of Dupont's Lark *Chersophilus duponti* on the Iberian Peninsula. *Ardeola* 37: 3-12.
- Garza, V., Garcia J.T. and Suárez, F. 2006. Population size and trends of the endangered Dupont's Lark in Europe. *Journal of Ornithology* 147(5): 267.
- Garza, V., Garcia J.T. and Suárez, F. 2006. Population size and trends of the endangered Dupont's Lark in Europe. *Journal of Ornithology* 147(5): 267.
- Garza, V., Traba, J. and Suarez, F. 2003. Is the European population of Dupont's Lark *Chersophilus duponti* adequately estimated? *Bird Study* 50: 309-311.
- Isenmann, P. and Moali, A. 2000. Oiseaux d'Algérie - Birds of Algeria. Société d'Études Ornithologiques de France, Paris.
- Isenmann, P., Gaultier, T., El Hili, A., Azafzaf, H., Dlensi, H. and Smart, M. 2005. Oiseaux de Tunisie - Birds of Tunisia. SEOF Editions, Paris.
- Iñigo, A., Graza, V., Tella, J.L., Laiolo, P., Suárez, F. and Barov, B. 2008. Action plan for the Dupont's Lark *Chersophilus duponti* in the European Union. BirdLife International for the European Commission.
- Laiolo, P. and Tella, J.L. 2008. Social determinants of songbird vocal activity and implications for the persistence of small populations. *Animal Conservation* 11(5): 433-441.
- Suárez F., Hernández J., Oñate, J.J., Garza V., Hervás, I., Viñuela, J., Calero-Riestra M., García J.T. y Pérez-Tris J. 2008. La alondra ricotí en el Norte de África [Dupont's Lark in North Africa]. *Quercus* 263: 26-34 (In Spanish).
- Suárez, F. and Garza, V. 2007. Situación y problemática de conservación de la alondra de Dupont en España. Informe Final. Departamento de Ecología, Universidad Autónoma de Madrid-Ministerio de Medio Ambiente. Informe no publicado., Madrid.
- Suárez, F., Fernández, A. and de Lope, M.J. 1986. Note sur les effects de l'aridité sur la structure et la composition des communautés de Passeriformes des hautes-plateaux alpha (*Stipa tenacissima*) au Maroc. *Bulletin de l'Institut Scientifique, Rabat* 10: 185-192.

- Suárez, F., García, J.T., Carriles, E., Calero-Riestra, M., Agirre, A., Justribó, J.H. and Garza, V. 2009. Sex-ratios of an endangered lark after controlling for a male-biased sampling. *Ardeola* 56(1): 113-118.
- Tella, J.L., Carrete, M., Serrano, D. and Vögeli, M. 2004. High male-biased sex-ratios in breeding populations of steppe passerines: demographic and conservation implications. In: L. Brotons and G. Botá (eds), *International Symposium on Ecology and Conservation of Steppe-Land Birds*, Lleida, Spain.
- Tella, J.L., Vögeli, M., Serrano, D. and Carrete, M. 2005. Current status of the threatened Dupont's lark *Chersophilus duponti* in Spain: overestimation, decline, and extinction of local populations. *Oryx* 39: 90-94.
- Tella, J.L., Vögeli, M., Serrano, D. and Carrete, M. 2005. Current status of the threatened Dupont's lark *Chersophilus duponti* in Spain: overestimation, decline, and extinction of local populations. *Oryx* 39: 90-94.
- Thévenot, M., Vernon, R. and Bergier, P. 2003. *The birds of Morocco: an annotated checklist*. British Ornithologists' Union, Tring, U.K.
- Tucker, G.M. and Heath, M.F. 1994. *Birds in Europe: Their Conservation Status*. BirdLife International, Cambridge, U.K.
- Vögeli, M., Serrano, D., Pacios, F. and Tella, J.L. 2010. The relative importance of patch habitat quality and landscape attributes on a declining steppe-bird metapopulation. *Biological Conservation* 143(5): 1057-1067.
- Vögeli, M., Serrano, D., Tella, J.L., Méndez, M. and Godoy, J.A. 2007. Sex determination of Dupont's Lark *Chersophilus duponti* using molecular sexing and discriminant functions. *Ardeola* 54(1): 69-79.
- del Hoyo, J., Elliott, A. and Christie, D. 2004. *Handbook of the Birds of the World, Vol. 9: Cotingas to Pipits and Wagtails*. Lynx Edicions, Barcelona, Spain.