



THE IUCN RED LIST
OF THREATENED SPECIES™



***Galerida theklae* (Thekla's Lark)**

European Red List of Birds

Supplementary Material

The European Union (EU28) Red List assessments were based principally on the official data reported by EU Member States to the European Commission under Article 12 of the Birds Directive in 2019-20. For the European Red List assessments, similar data were sourced from BirdLife Partners and other collaborating experts in other European countries and territories. For more information, see BirdLife International (2021).

Contents

Reported national population sizes and trends
Trend maps of reported national population data
Sources of reported national population data
Species factsheet bibliography

Recommended citation

BirdLife International (2021) European Red List of Birds. Luxembourg: Publications Office of the European Union.

Further information

<http://datazone.birdlife.org/info/euroredlist>
<http://www.birdlife.org/europe-and-central-asia/european-red-list-birds-0>
<http://www.iucnredlist.org/regions/europe>
<http://ec.europa.eu/environment/nature/conservation/species/redlist/>

Data requests and feedback

To request access to these data in electronic format, provide new information, correct any errors or provide feedback, please email science@birdlife.org.

Galerida theklae (Thekla's Lark)

Table 1. Reported national breeding population size and trends in Europe¹.

Country (or territory) ²	Population estimate				Short-term population trend ⁵				Long-term population trend ⁵				Subspecific population (where relevant)
	Size (pairs) ³	Europe (%)	Year(s)	Method ⁴	Direction ⁶	Magnitude (%) ⁷	Year(s)	Method ⁴	Direction ⁶	Magnitude (%) ⁷	Year(s)	Method ⁴	
France	270–430	<1	2011-2012	partial	-	-28 to -12	2004-2013	partial	?		1980-2018	deficient	
Portugal	100000–500000	10	2013-2018	partial	-		2007-2018	partial	?		1980-2018	partial	
Spain	1650000–2350000	90	2004-2006	complete	+		2007-2018	complete	+		1980-2018	complete	
EU28	1750000–2850000	100											
Europe	1750000–2850000	100											

¹ See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at <http://bd.eionet.europa.eu/article12/report>.

² The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

³ In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.

⁴ The 'method used' (replacing the data 'quality' assessment in the 2015 European Red List) is reported as: a) Complete: complete survey or a statistically robust estimate; b) Partial: based mainly on extrapolation from a limited amount of data; c) Expert: based mainly on expert opinion with very limited data; d) Defficient: insufficient or no data available.

⁵ The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.

⁶ Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).

⁷ Trend magnitudes are rounded to the nearest integer.

Galerida theklae (Thekla's Lark)

Table 2. Reported national wintering population sizes and trends in Europe¹. Note that some countries within the species' wintering range did not report any data, and that only minimum totals are presented, to avoid double-counting of birds moving between countries.

Country (or territory) ²	Population estimate				Short-term population trend ⁵				Long-term population trend ⁵				Subspecific population (where relevant)
	Size (individuals) ³	Europe (%)	Year(s)	Method ⁴	Direction ⁶	Magnitude (%) ⁷	Year(s)	Method ⁴	Direction ⁶	Magnitude (%) ⁷	Year(s)	Method ⁴	
Gibraltar	1-5	100	2006-2018	partial	F	-1 to 5	2000-2018	partial	0	0	1980-2018	partial	
EU28	1-5	100											
Europe	1-5	100											

¹ See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at <http://bd.eionet.europa.eu/article12/report>.

² The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

³ In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.

⁴ The 'method used' (replacing the data 'quality' assessment in the 2015 European Red List) is reported as: a) Complete: complete survey or a statistically robust estimate; b) Partial: based mainly on extrapolation from a limited amount of data; c) Expert: based mainly on expert opinion with very limited data; d) Defficient: insufficient or no data available.

⁵ The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.

⁶ Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).

⁷ Trend magnitudes are rounded to the nearest integer.

Trend maps

A symbol appears in each country where the species occurs: the shape and colour of the symbol represent the population trend in that country, and the size of the symbol corresponds to the proportion of the European population occurring in that country.

KEY

- | | |
|---|----------------------------------|
| ↑ Large increase ($\geq 50\%$) | ↓ Large decrease ($\geq 50\%$) |
| ↑ Moderate increase (20–49%) | ↓ Moderate decrease (20–49%) |
| ↑ Small increase ($< 20\%$) | ↓ Small decrease ($< 20\%$) |
| ↑ Increase of unknown magnitude | ↓ Decrease of unknown magnitude |
| ■ Stable or fluctuating | |
| □ Unknown | |
| ○ Present (no population or trend data) | |
| × Extinct since 1980 | |

Each symbol, with the exception of Present and Extinct, may occur in up to three different size classes, corresponding to the proportion of the European population occurring in that country.

- ↑ Large: $\geq 10\%$ of the European population
- ↑ Medium: 1–9% of the European population
- ↑ Small: $< 1\%$ of the European population

The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Figure 1. Breeding population sizes and short-term trends across Europe.




Figure 2. Breeding population sizes and long-term trends across Europe.




Figure 3. Reported wintering population sizes and short-term trends across Europe. Note that some countries within the species' wintering range did not report any data.





Figure 4. Reported wintering population sizes and long-term trends across Europe. Note that some countries within the species' wintering range did not report any data.



Galerida theklae (Thekla's Lark)

Sources

France

Breeding population size: Issa, N. & Muller, Y 2015. Gonin, J., Gilot, F. & Bourgeois, M. Cochevis de Thékla. in Issa, N. & Muller, Y. coord. (2015). Atlas des oiseaux de France métropolitaine. Nidification et présence hivernale. LPO/SEOF/MNHN, Paris, Delachaux et Niestlé1408

Breeding short-term trend: Bourgeois, M. & Gilot, F. (213b) Recensement du Cochevis de Thékla en France. rapport d'activités final. LPO Aude, GOR, 6 pages. ; Gonin, J. 2010. Avancée des connaissances sur le Cochevis de Thékla *Galerida theklae* en France.. Ornithos, 17, p. 73-105 ; Bourgeois, M., Gilot, F. & Savon, C. 2010. Gestion d'un milieu naturel en faveur du cochevis de thekla *Galerida theklae* dans les Corbières.. Ornithos, 17, pp: 106-115 ; . Gonin, J. (2008) Le Cochevis de Thékla (*Galerida teklae*) en Languedoc-Roussillon: répartition, biologie/écologie. Mémoire de l'Ecole pratique des Hautes Etudes. EPHE, LPO Aude, GOR.

Gibraltar

Winter population size: Bensusan, K.J. & Perez, C.E. (2003). A Conservation Action Plan for MOD sites in Gibraltar: Gibraltar Ornithological & Natural History Society. GONHS. Cortes, J. E. (1978). Conservation – A Future? Semi - natural Nature Reserve, Gibraltar: A Management Plan. Gibraltar Ornithological and Natural History Society. GONHS. Cortes, J.E. (1996). Windmill Hill Flats: a good view of migration across the Straits of Gibraltar. Almoraima 15:163-184. Cortes, J.E., Finlayson J.C., Garcia, E.F.J., Mosquera, M.A.J., (1980). The Birds of Gibraltar. Gibraltar Books. Gibraltar. Environmental Action & Management Plan (2012). Government of Gibraltar. Gibraltar Bird Reports (2006 - 2012). Gibraltar Ornithological & Natural History Society Gibraltar Nature News (2006 – 2012). Bi-annual Publication. Gibraltar Ornithological & Natural History Society. Nature Protection Act 1991 (2013). Perez, C.E. (2013). Report on the Conservation of Terrestrial Flora & Fauna in Gibraltar (2012). Wildlife (Gibraltar) Ltd Perez, C.E. & Bensusan, K. J. (2005). Upper Rock Nature Reserve A Management and Action. Plan. Gibraltar: The Gibraltar Ornithological & Natural History Society (GONHS). Perez, C.E. (2006). Biodiversity Action Plan, Gibraltar: Planning for Nature. Gibraltar: Gibraltar Ornithological & Natural History Society (GONHS). Southern Waters of Gibraltar Management Scheme EU Natura 2000 Site (2012).

Winter short-term trend: Bensusan, K.J. & Perez, C.E. (2003). A Conservation Action Plan for MOD sites in Gibraltar: Gibraltar Ornithological & Natural History Society. GONHS. Cortes, J. E. (1978). Conservation – A Future? Semi - natural Nature Reserve, Gibraltar: A Management Plan. Gibraltar Ornithological and Natural History Society. GONHS. Cortes, J.E. (1996). Windmill Hill Flats: a good view of migration across the Straits of Gibraltar. Almoraima 15:163-184. Cortes, J.E., Finlayson J.C., Garcia, E.F.J., Mosquera, M.A.J., (1980). The Birds of Gibraltar. Gibraltar Books. Gibraltar. Environmental Action & Management Plan (2012). Government of Gibraltar. Gibraltar Bird Reports (2006 - 2012). Gibraltar Ornithological & Natural History Society Gibraltar Nature News (2006 – 2012). Bi-annual Publication. Gibraltar Ornithological & Natural History Society. Nature Protection Act 1991 (2013). Perez, C.E. (2013). Report on the Conservation of Terrestrial Flora & Fauna in Gibraltar (2012). Wildlife (Gibraltar) Ltd Perez, C.E. & Bensusan, K. J. (2005). Upper Rock Nature Reserve A Management and Action. Plan. Gibraltar: The Gibraltar Ornithological & Natural History Society (GONHS). Perez, C.E. (2006). Biodiversity Action Plan, Gibraltar: Planning for Nature. Gibraltar: Gibraltar Ornithological & Natural History Society (GONHS). Southern Waters of Gibraltar Management Scheme EU Natura 2000 Site (2012).

Winter long-term trend: Bensusan, K.J. & Perez, C.E. (2003). A Conservation Action Plan for MOD sites in Gibraltar: Gibraltar Ornithological & Natural History Society. GONHS. Cortes, J. E. (1978). Conservation – A Future? Semi - natural Nature Reserve, Gibraltar: A Management Plan. Gibraltar Ornithological and Natural History Society. GONHS. Cortes, J.E. (1996). Windmill Hill Flats: a good view of migration across the Straits of Gibraltar. Almoraima 15:163-184. Cortes, J.E., Finlayson J.C., Garcia, E.F.J., Mosquera, M.A.J., (1980). The Birds of Gibraltar. Gibraltar Books. Gibraltar. Environmental Action & Management Plan (2012). Government of Gibraltar. Gibraltar Bird Reports (2006 - 2012). Gibraltar Ornithological & Natural History Society Gibraltar Nature News (2006 – 2012). Bi-annual Publication. Gibraltar Ornithological & Natural History Society. Nature Protection Act 1991 (2013). Perez, C.E. (2013). Report on the Conservation of Terrestrial Flora & Fauna in Gibraltar (2012). Wildlife (Gibraltar) Ltd Perez, C.E. & Bensusan, K. J. (2005). Upper Rock Nature Reserve A Management and Action. Plan. Gibraltar: The Gibraltar Ornithological & Natural History Society (GONHS). Perez, C.E. (2006). Biodiversity Action Plan, Gibraltar: Planning for Nature. Gibraltar: Gibraltar Ornithological & Natural History Society (GONHS). Southern Waters of Gibraltar Management Scheme EU Natura 2000 Site (2012).

Portugal

Breeding population size: eBird (2019). eBird: An online database of bird distribution and abundance [web application]. eBird, Ithaca, New York. Available: <http://www.ebird.org/portugal/home>. (Accessed: October 22, 2018).

Breeding short-term trend: eBird: An online database of bird distribution and abundance [web application]. eBird, Ithaca, New York. Available: <http://www.ebird.org/po>

Breeding long-term trend: eBird: An online database of bird distribution and abundance [web application]. eBird, Ithaca, New York. Available: <http://www.ebird.org/po>; Relatório Nacional Directiva Aves (2008-2012)

Spain

Breeding population size: Carrascal, L.M. & Palomino, D. (2008). Las aves comunes reproductoras en España. Población en 2004-2006. SEO/BirdLife. Madrid. 202 pp. (https://www.miteco.gob.es/es/biodiversidad/temas/inventarios-nacionales/19_paseriformes_2004_2006_tcm30-208258.pdf) Información proporcionada por las Comunidades Autónomas.

Breeding short-term trend: Información proporcionada por las Comunidades Autónomas. SEO/BirdLife (2013). Resultados del programa sacre 1996-2013. SEO/BirdLife. Madrid. (https://www.seguimientodeaves.org/ESPECIOS/docs/ESPECIES/3890_RES_SP.pdf). SEO/BirdLife (2019). Programas de seguimiento y grupos de trabajo de SEO/BirdLife 2018. SEO/BirdLife. Madrid. (<https://doi.org/10.31170/0073>)

Breeding long-term trend: Carrascal, L.M. & Palomino, D. (2008). Las aves comunes reproductoras en España. Población en 2004-2006. SEO/BirdLife. Madrid. 202 pp. (https://www.miteco.gob.es/es/biodiversidad/temas/inventarios-nacionales/19_paseriformes_2004_2006_tcm30-208258.pdf) Martí, R. & del Moral, J.C. (Eds.) (2003). Atlas de las Aves Reproductoras de España. Dirección General de Conservación de la Naturaleza- Sociedad Española de Ornitología. Madrid, 733 pp. (https://www.miteco.gob.es/es/biodiversidad/temas/inventarios-nacionales/inventario-especies-terrestres/inventario-nacional-de-biodiversidad/ieet_aves_atlas.aspx) Purroy, F.J. (Coord.) (1997). Atlas de las aves de España (1975-1995). SEO/BidLife. Lynx Edicions. Barcelona. 583 pp. SEO/BirdLife (2019). Programas de seguimiento y grupos de trabajo de SEO/BirdLife 2018. SEO/BirdLife. Madrid. (<https://doi.org/10.31170/0073>)

Bibliography

Bird, J. P., Martin, R., Akçakaya, H. R., Gilroy, J., Burfield, I. J., Garnett, S. G., Symes, A., Taylor, J., Sekercioglu, Ç. H. and Butchart, S. H. M. 2020. Generation lengths of the world's birds and their implications for extinction risk. *Conservation Biology* 34(5): 1252-1261. DOI: 10.1111/cobi.13486.

BirdLife International. 2004. *Birds in Europe: population estimates, trends and conservation status*. BirdLife International, Cambridge, U.K.

Heath, M. and Tucker, G. 1994. Birds in Europe. *World Birdwatch* 16: 9-13.

de Juana, E. and Suárez, F. 2004. Thekla Lark (*Galerida theklae*). In: J. del Hoyo, A. Elliott, J. Sargatal, D.A. Christie & E. de Juana (eds), *Handbook of the Birds of the World Alive*, Lynx Edicions, Barcelona.