Linaria flavirostris (Twite)

European Red List of Birds

Supplementary Material

The European Union (EU28) Red List assessments were based principally on the official data reported by EU Member States to the European Commission under Article 12 of the Birds Directive in 2019-20. For the European Red List assessments, similar data were sourced from BirdLife Partners and other collaborating experts in other European countries and territories. For more information, see BirdLife International (2021).

Contents

Recommended citation

BirdLife International (2021) European Red List of Birds. Luxembourg: Publications Office of the European Union.

Further information

http://datazone.birdlife.org/info/euroredlist

http://www.birdlife.org/europe-and-central-asia/european-red-list-birds-0

http://www.iucnredlist.org/regions/europe

http://ec.europa.eu/environment/nature/conservation/species/redlist/

Data requests and feedback

To request access to these data in electronic format, provide new information, correct any errors or provide feedback, please email science@birdlife.org.

Linaria flavirostris (Twite)

Table 1. Reported national breeding population size and trends in Europe[1].

Country (or territory)[2]	Population estimate				Short-term population trend[5]				Long-term population trend[5]				Subspecific population (where relevant)
	Size (pairs)[3]	Europe (%)	Year(s)	Method[4]	Direction[6]	Magnitude (%)[7]	Year(s)	Method[4]	Direction[6]	Magnitude (%)[7]	Year(s)	Method[4]	
Armenia	20100–27900	17	2013-2018	complete	0		2007-2018		?		2003-2018	deficient	
Azerbaijan	1000–10000	2	1996-2019	partial	?		2013-2019	expert	?		1980-2019	expert	
Finland	2–20	<1	2013-2018	expert	0		2007-2018	expert	?		1980-2018	deficient	
Georgia	present	<1		deficient	?			deficient	?				
Rep. Ireland	50–100	<1	2013-2018	partial	?		2013-2018	expert	-		1970-2018	partial	
Norway	10000–20000	10	2013-2018	deficient	?		2013-2018	deficient	?		1980-2018	partial	
Russia	2700–5000	3	2008-2018	partial	0		2008-2018	expert	0		1980-2018	expert	
Sweden	160–500	<1	2013-2018	expert	?		2007-2018	deficient	?		1980-2018	deficient	
Turkey	40000–200000	63	2002-2012	deficient	?		2008-2019	deficient	?		1980-2013	deficient	
United Kingdom	5800–10200	6	2013	complete	-		2004-2016	complete	-		1980-2013	partial	
EU28	6000–10800	6											
Europe	**79800–274000**	**100**											

[1] See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at http://bd.eionet.europa.eu/article12/report.
[2] The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.
[3] In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.
[4] The 'method used' (replacing the data 'quality' assessment in the 2015 European Red List) is reported as: a) Complete: complete survey or a statistically robust estimate; b) Partial: based mainly on extrapolation from a limited amount of data; c) Expert: based mainly on expert opinion with very limited data; d) Defficient: insufficient or no data available.
[5] The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.
[6] Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).
[7] Trend magnitudes are rounded to the nearest integer.

Table 2. Reported national wintering population sizes and trends in Europe[1]. Note that some countries within the species' wintering range did not report any data, and that only minimum totals are presented, to avoid double-counting of birds moving between countries.

Country (or territory)[2]	Population estimate				Short-term population trend[5]				Long-term population trend[5]				Subspecific population (where relevant)
	Size (individuals)[3]	Europe (%)	Year(s)	Method[4]	Direction[6]	Magnitude (%)[7]	Year(s)	Method[4]	Direction[6]	Magnitude (%)[7]	Year(s)	Method[4]	
Serbia	250	100	2013-2018	partial	F		2013-2018	expert	?	-10 to 10	1980-2018	expert	
Europe	**0–250**	**100**											

[1] See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at http://bd.eionet.europa.eu/article12/report.
[2] The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.
[3] In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.
[4] The 'method used' (replacing the data 'quality' assessment in the 2015 European Red List) is reported as: a) Complete: complete survey or a statistically robust estimate; b) Partial: based mainly on extrapolation from a limited amount of data; c) Expert: based mainly on expert opinion with very limited data; d) Defficient: insufficient or no data available.
[5] The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.
[6] Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).
[7] Trend magnitudes are rounded to the nearest integer.

Trend maps

A symbol appears in each country where the species occurs: the shape and colour of the symbol represent the population trend in that country, and the size of the symbol corresponds to the proportion of the European population occurring in that country.

KEY

- Large increase (≥50%)
- Moderate increase (20–49%)
- Small increase (<20%)
- Increase of unknown magnitude
- Large decrease (≥50%)
- Moderate decrease (20–49%)
- Small decrease (<20%)
- Decrease of unknown magnitude
- Stable or fluctuating
- Unknown
- Present (no population or trend data)
- Extinct since 1980

Each symbol, with the exception of Present and Extinct, may occur in up to three different size classes, corresponding to the proportion of the European population occurring in that country.

- Large: ≥10% of the European population
- Medium: 1–9% of the European population
- Small: <1% of the European population

The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Figure 1. Breeding population sizes and short-term trends across Europe.



Figure 2. Breeding population sizes and long-term trends across Europe.



Figure 3. Reported wintering population sizes and short-term trends across Europe. Note that some countries within the species' wintering range did not report any data.

Figure 4. Reported wintering population sizes and long-term trends across Europe. Note that some countries within the species' wintering range did not report any data.

Sources

Armenia

Breeding population size: TSE NGO National Bird Monitoring data.
Breeding short-term trend: TSE (2020) The Atlas of the Breeding Birds in Armenia. In preparation.
Breeding long-term trend: TSE (2020) The Atlas of the Breeding Birds in Armenia. In preparation.

Azerbaijan

Breeding population size: Azerbaijan Red Data Book, AOS Data Base
Breeding short-term trend: AOS data base
Breeding long-term trend: AOS Data Base

Finland

Breeding population size: Lehikoinen, A. , Below, A., Jukarainen, A., Laaksonen, T., Lehtiniemi, T., Mikkola-Roos, M., Pessa, J., Rajasärkkä, A., Rusanen, P., Sirkiä, P., Tiainen, J. & Valkama, J. 2019: Suomen lintujen pesimäkantojen koot. – Linnut-vuosikirja 2018: 38-45.
Breeding short-term trend: BirdLife Finland: Tiira-bird observation database

Georgia

Breeding population size: BirdLife International 2004

Republic of Ireland

Breeding population size: Crowe, O. (2019). Status of rare breeding birds in the Republic of Ireland 2013 - 2018. Unpublished report to the National Parks and Wildlife Service, Dublin, Ireland.
Breeding short-term trend: Crowe, O. (2019). Status of rare breeding birds in the Republic of Ireland 2013 - 2018. Unpublished report to the National Parks and Wildlife Service, Dublin, Ireland.
Breeding long-term trend: Crowe, O. (2019). Status of rare breeding birds in the Republic of Ireland 2013 - 2018. Unpublished report to the National Parks and Wildlife Service, Dublin, Ireland. Sharrock, J.T.R. (1976) The Atlas of Breeding Birds in Britain and Ireland. T. & AD Poyser.

Norway

Breeding population size: Shimmings P. & Øien, I.J. 2015. Bestandsestimater og trender for norske hekkefugler. NOF-rapport 2015-2.
Breeding long-term trend: Shimmings P. & Øien, I.J. 2015. Bestandsestimater og trender for norske hekkefugler. NOF-rapport 2015-2.

Russia

Breeding population size: Voltzit & Kalyakin 2013-2019; Database of the project on Atlas of breeding birds of European Russia
Breeding short-term trend: Belik unpublished. vpbelik@mail.ru
Breeding long-term trend: Belik 2005; Belik et al. 2003

Serbia

Winter population size: Radišić, D., Vasić, V., Puzović, S., Ružić, M., Šćiban, M., Grubač, B., Vujič, A. eds. 2018. Red book of fauna of Serbia III - Birds. Belgrade: Institute for Nature Conservation of Serbia, University of Novi Sad, Faculty of Sciences, Department of Biology and Ecology and Bird Protection and Study Society of Serbia.
Winter short-term trend: Radišić, D., Vasić, V., Puzović, S., Ružić, M., Šćiban, M., Grubač, B., Vujič, A. eds. 2018. Red book of fauna of Serbia III - Birds. Belgrade: Institute for Nature Conservation of Serbia, University of Novi Sad, Faculty of Sciences, Department of Biology and Ecology and Bird Protection and Study Society of Serbia.
Winter long-term trend: Radišić, D., Vasić, V., Puzović, S., Ružić, M., Šćiban, M., Grubač, B., Vujič, A. eds. 2018. Red book of fauna of Serbia III - Birds. Belgrade: Institute for Nature Conservation of Serbia, University of Novi Sad, Faculty of Sciences, Department of Biology and Ecology and Bird Protection and Study Society of Serbia.

Sweden

Breeding population size: Ottosson, U., Ottvall, R., Elmberg, J., Green, M., Gustafsson, R., Haas, F., Holmqvist, N., Lindström, Å., Nilsson, L., Svensson, M., Svensson, S. & Tjernberg, M. 2012. Fåglarna i Sverige – antal och förekomst. SOF, Halmstad. Swedish Bird Survey. BirdLife Sverige, Annual Bird reports.
Breeding short-term trend: Species observation system, www.artportalen.se
Breeding long-term trend: Ottosson, U., Ottvall, R., Elmberg, J., Green, M., Gustafsson, R., Haas, F., Holmqvist, N., Lindström, Å., Nilsson, L., Svensson, M., Svensson, S. & Tjernberg, M. 2012. Fåglarna i Sverige – antal och förekomst. SOF, Halmstad. Swedish Bird Survey. BirdLife Sverige, Annual Bird reports. Www.artportalen.se

Turkey

Breeding population size: Ferdi Akarsu personal communication (2019), Birdlife International (2004) Birds in Europe: population estimates, trends and conservation status, Cambridge UK: Birdlife International (Birdlife Conservation series no:12 Kusbank Bird Database (Ebird)

United Kingdom

Breeding population size: Wilkinson, N.I., Eaton, M.A., Colhoun, K. & Drewitt, A.L. 2018. The population status of breeding Twite Linaria flavirostris in the UK in 2013. Bird Study 65(2): 174-188.
Breeding short-term trend: BTO/JNCC/RSPB Breeding Bird Survey data: Harris, S.J., Massimino, D., Gillings, S., Eaton, M.A., Noble, D.G., Balmer, D.E., Procter, D., PearceHiggins, J.W. & Woodcock, P. 2018. The Breeding Bird Survey 2017. BTO Research Report 706 British Trust for Ornithology, Thetford. https://www.bto.org/sites/default/files/bbs-report-2017.pdf
Breeding long-term trend: Sharrock, J.T.R. 1976. The Atlas of Breeding Birds in Britain and Ireland. Poyser, London. Wilkinson, N.I., Eaton, M.A., Colhoun, K. & Drewitt, A.L. 2018. The population status of breeding Twite Linaria flavirostris in the UK in 2013. Bird Study 65(2): 174-188.

Linaria flavirostris (Twite)

Bibliography

Bird, J. P., Martin, R., Akçakaya, H. R., Gilroy, J., Burfield, I. J., Garnett, S. G., Symes, A., Taylor, J., Sekercioglu, Ç. H. and Butchart, S. H. M. 2020. Generation lengths of the world's birds and their implications for extinction risk. Conservation Biology 34(5): 1252-1261. DOI: 10.1111/cobi.13486.

BirdLife International. 2004. Birds in Europe: population estimates, trends and conservation status. BirdLife International, Cambridge, U.K.

Clement, P. 2016. Twite (Carduelis flavirostris). In: del Hoyo, J., Elliott, A., Sargatal, J., Christie, D.A. and de Juana, E. (eds), Handbook of the Birds of the World Alive, Lynx Edicions, Barcelona.

Eaton, M.A., Balmer, D., Conway, G.J., Gillings, S., Grice, P.V., Hall, C., Hearn, R.D., Musgrove, A.J., Riseley, K. and Wotton, S. 2009. The state of the UK's birds 2008.

Hagemeijer, E.J.M. and Blair, M.J. 1997. The EBCC atlas of European breeding birds: their distribution and abundance. T. and A.D. Poyser, London.

Lynas, P., Newton, S.F. and Robinson, J.A. 2007. The status of birds in Ireland: an analysis of conservation concern 2008-2013. Irish Birds 8(2): 149-166.

McLoughlin, D. 2009. The ecology of Twite Carduelis flavirostris in Ireland. PhD Thesis. Institute of Technology, Sligo.