



THE IUCN RED LIST
OF THREATENED SPECIES™



***Bucanetes githagineus* (Trumpeter Finch)**

European Red List of Birds

Supplementary Material

The European Union (EU28) Red List assessments were based principally on the official data reported by EU Member States to the European Commission under Article 12 of the Birds Directive in 2019-20. For the European Red List assessments, similar data were sourced from BirdLife Partners and other collaborating experts in other European countries and territories. For more information, see BirdLife International (2021).

Contents

Reported national population sizes and trends
Trend maps of reported national population data
Sources of reported national population data
Species factsheet bibliography

Recommended citation

BirdLife International (2021) European Red List of Birds. Luxembourg: Publications Office of the European Union.

Further information

<http://datazone.birdlife.org/info/euroredlist>
<http://www.birdlife.org/europe-and-central-asia/european-red-list-birds-0>
<http://www.iucnredlist.org/regions/europe>
<http://ec.europa.eu/environment/nature/conservation/species/redlist/>

Data requests and feedback

To request access to these data in electronic format, provide new information, correct any errors or provide feedback, please email science@birdlife.org.

Bucanetes githagineus (Trumpeter Finch)

Table 1. Reported national breeding population size and trends in Europe¹.

Country (or territory) ²	Population estimate				Short-term population trend ⁵				Long-term population trend ⁵				Subspecific population (where relevant)
	Size (pairs) ³	Europe (%)	Year(s)	Method ⁴	Direction ⁶	Magnitude (%) ⁷	Year(s)	Method ⁴	Direction ⁶	Magnitude (%) ⁷	Year(s)	Method ⁴	
Armenia	50–70	<1	2013-2018	complete	?	5 to 20	2007-2018	expert	?		2003-2018	deficient	
Azerbaijan	100–500	2	1996-2019	partial	?		2013-2019	expert	?		1980-2019	expert	
Spain	300–600	3	2014-2017	partial	+		2001-2017	expert	+		1980-2017	partial	
ES: Canary Is	10000–20000	93	1997-2018	expert	?		2007-2018	expert	?		1980-2018	expert	
Turkey	200–800	3	2013-2019	expert	?		2008-2019	deficient	?		1980-2013	deficient	
EU28	10300–20600	96											
Europe	10600–22000	100											

¹ See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at <http://bd.eionet.europa.eu/article12/report>.

² The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

³ In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.

⁴ The 'method used' (replacing the data 'quality' assessment in the 2015 European Red List) is reported as: a) Complete: complete survey or a statistically robust estimate; b) Partial: based mainly on extrapolation from a limited amount of data; c) Expert: based mainly on expert opinion with very limited data; d) Defficient: insufficient or no data available.

⁵ The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.

⁶ Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).

⁷ Trend magnitudes are rounded to the nearest integer.

Trend maps

A symbol appears in each country where the species occurs: the shape and colour of the symbol represent the population trend in that country, and the size of the symbol corresponds to the proportion of the European population occurring in that country.

KEY

- | | |
|---|---------------------------------|
| ↑ Large increase (≥50%) | ↓ Large decrease (≥50%) |
| ↑ Moderate increase (20–49%) | ↓ Moderate decrease (20–49%) |
| ↑ Small increase (<20%) | ↓ Small decrease (<20%) |
| ↑ Increase of unknown magnitude | ↓ Decrease of unknown magnitude |
| ■ Stable or fluctuating | |
| □ Unknown | |
| ○ Present (no population or trend data) | |
| × Extinct since 1980 | |

Each symbol, with the exception of Present and Extinct, may occur in up to three different size classes, corresponding to the proportion of the European population occurring in that country.

- ↑ Large: ≥10% of the European population
- ↑ Medium: 1–9% of the European population
- ↑ Small: <1% of the European population

The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Figure 1. Breeding population sizes and short-term trends across Europe.





Figure 2. Breeding population sizes and long-term trends across Europe.



Bucanetes githagineus (Trumpeter Finch)

Sources

Armenia

Breeding population size: TSE NGO National Bird Monitoring data.
Breeding short-term trend: TSE (2020) The Atlas of the Breeding Birds in Armenia. In preparation.
Breeding long-term trend: TSE (2020) The Atlas of the Breeding Birds in Armenia. In preparation.

Azerbaijan

Breeding population size: Azerbaijan Red Data Book, AOS Data Base
Breeding short-term trend: AOS data base
Breeding long-term trend: AOS Data Base

Spain

Breeding population size: Barrientos, R. (2015). Camachuelo trompetero – <i>Bucanetes githagineus</i> . En: Enciclopedia Virtual de los Vertebrados Españoles. Salvador, A., Morales, M. B. (Eds.). Museo Nacional de Ciencias Naturales, Madrid. (http://www.vertebradosibericos.org/aves/habitat/bucgitha.html) Barrientos, R., Kvist, L., Barbosa, A., Valera, F., Khoury, F., Varela, S., Moreno, E. (2014). Refugia, colonization and diversification of an arid adapted bird: coincident patterns between genetic data and ecological niche modelling. <i>Molecular Ecology</i> , 23: 390-407. De Juana, E., García, E. (2015). The Birds of the Iberian Peninsula. Christopher Helm, London. Información proporcionada por las comunidades autónomas.
Breeding short-term trend: Barrientos, R. (2015). Camachuelo trompetero – <i>Bucanetes githagineus</i> . En: Enciclopedia Virtual de los Vertebrados Españoles. Salvador, A., Morales, M. B. (Eds.). Museo Nacional de Ciencias Naturales, Madrid. (http://www.vertebradosibericos.org/aves/habitat/bucgitha.html) Carrillo, C., A. Barbosa, F. Valera, R. Barrientos & E. Moreno (2007). Northward expansion of a desert bird: effects of climate change?. <i>Ibis</i> 149, 166–169 Información proporcionada por las comunidades autónomas. Madroño, A., González, C. & Atienza, J.C. (Eds.). (2004). Libro Rojo de las Aves de España. Dirección General para la Biodiversidad-SEO/BirdLife, Madrid. 452 pp. (https://www.miteco.gob.es/es/biodiversidad/temas/inventarios-nacionales/lrcompletoparaweb_tcm30-207942.pdf) Martí, R. & del Moral, J.C. (Eds.) (2003). Atlas de las Aves Reproductoras de España. Dirección General de Conservación de la Naturaleza- Sociedad Española de Ornitología. Madrid, 733 pp. (https://www.miteco.gob.es/es/biodiversidad/temas/inventarios-nacionales/inventario-especies-terrestres/inventario-nacional-de-biodiversidad/ieet_aves_atlas.aspx)
Breeding long-term trend: Barrientos, R. (2015). Camachuelo trompetero – <i>Bucanetes githagineus</i> . En: Enciclopedia Virtual de los Vertebrados Españoles. Salvador, A., Morales, M. B. (Eds.). Museo Nacional de Ciencias Naturales, Madrid. (http://www.vertebradosibericos.org/aves/habitat/bucgitha.html) BirdLife International (2004). Birds in Europe: population estimates, trends and conservation status. Cambridge, 374 pp. Carrillo, C., A. Barbosa, F. Valera, R. Barrientos & E. Moreno (2007). Northward expansion of a desert bird: effects of climate change?. <i>Ibis</i> 149, 166–169 Madroño, A., González, C. & Atienza, J.C. (Eds.). (2004). Libro Rojo de las Aves de España. Dirección General para la Biodiversidad-SEO/BirdLife, Madrid. 452 pp. (https://www.miteco.gob.es/es/biodiversidad/temas/inventarios-nacionales/lrcompletoparaweb_tcm30-207942.pdf) Martí, R. & del Moral, J.C. (Eds.) (2003). Atlas de las Aves Reproductoras de España. Dirección General de Conservación de la Naturaleza- Sociedad Española de Ornitología. Madrid, 733 pp. (https://www.miteco.gob.es/es/biodiversidad/temas/inventarios-nacionales/inventario-especies-terrestres/inventario-nacional-de-biodiversidad/ieet_aves_atlas.aspx) Purroy, F.J. (Coord.) (1997). Atlas de las aves de España (1975-1995). SEO/BidLife. Lynx Edicions. Barcelona. 583 pp. Tucker, G.M. & Heath, M.F. (1994). Birds in Europe: their conservation status BirdLife International (BirdLife Conservation Series n° 3).

ES: Canary Is

Breeding population size: Ramos Melo, J.J. & González del Campo, P. (2015). Estudio de la distribución y estado de conservación de aves esteparias en las islas de El Hierro, La Palma, La Gomera y Tenerife. <i>Birding Canarias S.L.U. Gobierno de Canarias</i> . 95 pp.
Breeding short-term trend: Lorenzo, J.A. (2007) (Ed). Atlas de las Aves Nidificantes en el Archipiélago Canario (1997-2003). Dirección General de Conservación de la Naturaleza-Sociedad Española de Ornitología. Madrid. 520 pp. Ramos Melo, J.J. & González del Campo, P. (2015). Estudio de la distribución y estado de conservación de aves esteparias en las islas de El Hierro, La Palma, La Gomera y Tenerife. <i>Birding Canarias S.L.U. Gobierno de Canarias</i> . 95 pp.
Breeding long-term trend: Carrascal, L.M. & Alonso, C.L. (2005). Censo de aves estepáricas en las islas orientales del archipiélago canario. Programa de seguimiento y planificación de especies amenazadas de canarias “centinela”. CSIC-Gobierno de Canarias. Informe no publicado. Delgado, G., Naranjo, J.J., Barone, R. & Trujillo, D. (2000). Estudio para la conservación de las aves estepáricas en las islas de Tenerife y Gran Canaria. Tomos I y II. <i>Canarias Tecnatura</i> . Informe inédito. Delgado G., Naranjo J.J., Barone, R., Trujillo, D. & Rodríguez, F. (2002). Datos sobre la distribución de aves esteparias en Tenerife y Gran Canaria, islas Canarias. <i>Vieraea</i> 30: 177-194. Lorenzo, J.A. (2007) (Ed). Atlas de las Aves Nidificantes en el Archipiélago Canario (1997-2003). Dirección General de Conservación de la Naturaleza-Sociedad Española de Ornitología. Madrid. 520 pp. Madroño, A., González, C. & Atienza, J.C. (Eds.). (2004). Libro Rojo de las Aves de España. Dirección General para la Biodiversidad-SEO/BirdLife, Madrid. 452 pp. (https://www.miteco.gob.es/es/biodiversidad/temas/inventarios-nacionales/lrcompletoparaweb_tcm30-207942.pdf) Martín, A. & Lorenzo, J.A. (2001). Aves del Archipiélago Canario. Francisco Lemus Editor. La Laguna. 787 pp. Ramos Melo, J.J. & González del Campo, P. (2015). Estudio de la distribución y estado de conservación de aves esteparias en las islas de El Hierro, La Palma, La Gomera y Tenerife. <i>Birding Canarias S.L.U. Gobierno de Canarias</i> . 95 pp.

Turkey

Breeding population size: Emin Yoğurtcuoglu, Soner Bekir personal communication (2019), Kılıç DT, Eken G. 2004. Türkiye'nin önemli kus alanları—2004 güncellemesi (Important bird areas in Turkey—2004 update). Ankara: Doga Derneği. Bozdoğan M., İsfendiyaroğlu S., Kılıç D.T., Lise Y. (2006) Türkiye'nin Önemli Doğa Alanları. Doğa Derneği, Ankara. Kusbank Bird Database (Ebird) Kirwan G.M., Boyle K. A., Castell P., Demirci B., Özen M., Welch H., Marlow T., 2008, Birds of Turkey. Londra, Christopher Helm, 978-1-4081-0475-

Bibliography

- Bird, J. P., Martin, R., Akçakaya, H. R., Gilroy, J., Burfield, I. J., Garnett, S. G., Symes, A., Taylor, J., Sekercioglu, Ç. H. and Butchart, S. H. M. 2020. Generation lengths of the world's birds and their implications for extinction risk. *Conservation Biology* 34(5): 1252-1261. DOI: 10.1111/cobi.13486.
- BirdLife International. 2004. *Birds in Europe: population estimates, trends and conservation status*. BirdLife International, Cambridge, U.K.
- Clement, P. 2016. Common Redpoll (*Carduelis flammea*). In: del Hoyo, J., Elliott, A., Sargatal, J., Christie, D.A. and de Juana, E. (eds), *Handbook of the Birds of the World Alive*, Lynx Edicions, Barcelona.
- Clement, P. 2016. Trumpeter Finch (*Bucanetes githagineus*). In: del Hoyo, J., Elliott, A., Sargatal, J., Christie, D.A. and de Juana, E. (eds), *Handbook of the Birds of the World Alive*, Lynx Edicions, Barcelona.
- Madroño, A., González, C. and Atienza, J.C. 2004. *Libro Rojo de las aves de España*. Sociedad Española de Ornitología, Madrid.
- Snow, D.W. and Perrins, C.M. 1998. *The Birds of the Western Palearctic, Volume 2: Passerines*. Oxford University Press, Oxford.
- Tucker, G.M. and Heath, M.F. 1994. *Birds in Europe: Their Conservation Status*. BirdLife International, Cambridge, U.K.