

***Emberiza caesia* (Cretzschmar's Bunting)**

European Red List of Birds

Supplementary Material

The European Union (EU28) Red List assessments were based principally on the official data reported by EU Member States to the European Commission under Article 12 of the Birds Directive in 2019-20. For the European Red List assessments, similar data were sourced from BirdLife Partners and other collaborating experts in other European countries and territories. For more information, see BirdLife International (2021).

Contents

Reported national population sizes and trends
Trend maps of reported national population data
Sources of reported national population data
Species factsheet bibliography

Recommended citation

BirdLife International (2021) European Red List of Birds. Luxembourg: Publications Office of the European Union.

Further information

<http://datazone.birdlife.org/info/euroredlist>
<http://www.birdlife.org/europe-and-central-asia/european-red-list-birds-0>
<http://www.iucnredlist.org/regions/europe>
<http://ec.europa.eu/environment/nature/conservation/species/redlist/>

Data requests and feedback

To request access to these data in electronic format, provide new information, correct any errors or provide feedback, please email science@birdlife.org.

Emberiza caesia (Cretzschmar's Bunting)

Table 1. Reported national breeding population size and trends in Europe¹.

Country (or territory) ²	Population estimate				Short-term population trend ⁵				Long-term population trend ⁵				Subspecific population (where relevant)
	Size (pairs) ³	Europe (%)	Year(s)	Method ⁴	Direction ⁶	Magnitude (%) ⁷	Year(s)	Method ⁴	Direction ⁶	Magnitude (%) ⁷	Year(s)	Method ⁴	
Albania	10–30	<1	2007-2018	partial	?		2007-2018	partial	-	-85 to -80	1980-2018	expert	
Cyprus	10000–20000	9	2013-2018	partial	+	25 to 50	2007-2018	expert	?		1980-2018	deficient	
Greece	5000–20000	6	2015	partial	0		2007-2018	partial	0		1980-2018	partial	
Turkey	100000–185000	85	2002-2012	expert	?		2008-2019	deficient	?		1980-2013	deficient	
EU28	15000–40000	15											
Europe	115000–226000	100											

¹ See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at <http://bd.eionet.europa.eu/article12/report>.

² The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

³ In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.

⁴ The 'method used' (replacing the data 'quality' assessment in the 2015 European Red List) is reported as: a) Complete: complete survey or a statistically robust estimate; b) Partial: based mainly on extrapolation from a limited amount of data; c) Expert: based mainly on expert opinion with very limited data; d) Defficient: insufficient or no data available.

⁵ The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.

⁶ Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).

⁷ Trend magnitudes are rounded to the nearest integer.

Trend maps

A symbol appears in each country where the species occurs: the shape and colour of the symbol represent the population trend in that country, and the size of the symbol corresponds to the proportion of the European population occurring in that country.

KEY

- | | |
|---|----------------------------------|
| ↑ Large increase ($\geq 50\%$) | ↓ Large decrease ($\geq 50\%$) |
| ↑ Moderate increase (20–49%) | ↓ Moderate decrease (20–49%) |
| ↑ Small increase ($< 20\%$) | ↓ Small decrease ($< 20\%$) |
| ↑ Increase of unknown magnitude | ↓ Decrease of unknown magnitude |
| ■ Stable or fluctuating | |
| □ Unknown | |
| ○ Present (no population or trend data) | |
| × Extinct since 1980 | |

Each symbol, with the exception of Present and Extinct, may occur in up to three different size classes, corresponding to the proportion of the European population occurring in that country.

- ↑ Large: $\geq 10\%$ of the European population
- ↑ Medium: 1–9% of the European population
- ↑ Small: $< 1\%$ of the European population

The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Figure 1. Breeding population sizes and short-term trends across Europe.





Figure 2. Breeding population sizes and long-term trends across Europe.



Sources

Albania

Breeding population size: Bino & Xeka 2020 in EBBA 2
Breeding short-term trend: Bino & Xeka pers. obs.
Breeding long-term trend: Bino pers. obs.

Cyprus

Breeding population size: Expert opinion; Study on FBI and CBI Indicators, Birdlife Cyprus, 2017. Game & Fauna Service, SPAs Management Plans, 2016 (Ministry of the Interior)
Breeding short-term trend: Expert opinion
Breeding long-term trend: Bird sightings records as published in BirdLife Cyprus annual reports; No systematic data is available for before 2006

Greece

Breeding population size: 1) BirdLife International (2004) Birds in Europe:Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12). 2) Natura Viewer (http://natura2000.eea.europa.eu/#). 3) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παπαζογλου, C. & Barov, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 4) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.).2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα. 5) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Α.Μ., Κασάμπας Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.
Breeding short-term trend: 1) BirdLife International (2004) Birds in Europe:Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12). 2) Natura Viewer (http://natura2000.eea.europa.eu/#). 3) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παπαζογλου, C. & Barov, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 4) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.).2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα. 5) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Α.Μ., Κασάμπας Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.
Breeding long-term trend: 1) Handrinos,G., & Akriotis, T., (1997) The birds of Greece. C. Helm, A & C Black, London. 2) BirdLife International (2004) Birds in Europe:Population estimates, trends and conservation status. Cambridge, UK: Birdlife International (Birdlife Conservation Series No. 12). 3) Natura Viewer (http://natura2000.eea.europa.eu/#). 4) Δημαλέξης, Τ., Καστρίτης, Θ., Γρίβας, Κ., Μανωλόπουλος, Α., Καρδακάρη, Ν., Κακαλής, Λ., Ξηρουχάκης, Σ., Τσαϊτουρίδης, Χ., Παπαζογλου, C. & Barov, B. 2009. Προσδιορισμός συμβατών δραστηριοτήτων σε σχέση με τα είδη χαρακτηρισμού των Ζωνών Ειδικής Προστασίας της ορνιθοπανίδας. Παραδοτέο 8. Οδηγός οικολογικών απαιτήσεων, απειλών και ενδεδειγμένων μέτρων για τα είδη χαρακτηρισμού. 5) Πορτόλου, Δ., Μπουρδάκης, Σ., Βλάχος, Χ., Καστρίτης, Θ. & Δημαλέξης, Τ. (επιμ.).2009. Οι Σημαντικές Περιοχές για τα Πουλιά της Ελλάδας: Περιοχές Προτεραιότητας για τη Διατήρηση της Βιοποικιλότητας. Ελληνική Ορνιθολογική Εταιρεία, Αθήνα. 6) Βλάχος Χ., Μπίρτσας Π., Θωμαΐδης Χ., Χατζηνίκος Ε., Μποντζώρλος Β., Μπραζιώτης Σ., Κόντος Κ., Βλαχάκη Δ., Δεδουσοπούλου Ε., Κιούσης Δ., Ξένος Α., Στεφάνου Α.Μ., Κασάμπας Δ., και Μελικώκη Κ. (Συντονιστές έκδοσης). 2015. Γ' Φάση της Μελέτης 9 «Εποπτεία και Αξιολόγηση της Κατάστασης Διατήρησης Ειδών Ορνιθοπανίδας στην Ελλάδα» ΥΠΑΠΕΝ, Αθήνα, Σύμπραξη Γραφείων Μελετών «"Φ.ΦΑΣΟΥΛΑΣ-Ν.ΜΑΝΤΖΙΟΣ" Ε.Ε. – ΡΟΔΟΥΛΑ ΚΩΝΣΤΑΝΤΙΝΙΔΟΥ ΤΟΥ ΓΕΩΡΓΙΟΥ – "ΑΘ.ΤΖΑΚΟΠΟΥΛΟΣ ΚΑΙ ΣΙΑ" Ε.Ε.», Θεσσαλονίκη.

Turkey

Breeding population size: Ömer Döndüren, Güven Eken personal communication (2019). Kirwan G.M., Boyla K. A., Castell P., Demirci B., Özen M., Welch H., Marlow T., 2008, Birds of Turkey. Londra, Christopher Helm, 978-1-4081-0475- Birdlife International (2004) Birds in Europe: population estimates, trends and conservation status, Cambridge UK: Birdlife International (Birdlife Conservation series no: 12)

Bibliography

Bird, J. P., Martin, R., Akçakaya, H. R., Gilroy, J., Burfield, I. J., Garnett, S. G., Symes, A., Taylor, J., Sekercioglu, Ç. H. and Butchart, S. H. M. 2020. Generation lengths of the world's birds and their implications for extinction risk. *Conservation Biology* 34(5): 1252-1261. DOI: 10.1111/cobi.13486.

BirdLife International. 2004. *Birds in Europe: population estimates, trends and conservation status*. BirdLife International, Cambridge, U.K.

BirdLife International. 2015. *European Red List of Birds*. Office for Official Publications of the European Communities, Luxembourg.

Hagemeijer, E.J.M. and Blair, M.J. 1997. *The EBCC atlas of European breeding birds: their distribution and abundance*. T. and A.D. Poyser, London.

Madge, S. 2016. Cretzschmar's Bunting (*Emberiza caesia*). In: J. del Hoyo, A. Elliott, J. Sargatal, D.A. Christie & E.de Juana (eds), *Handbook of the Birds of the World Alive*, Lynx Edicions, Barcelona.